Civil Engineering Database Subject Heading Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1970. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2005 from a CEDB subject heading list. The CEDB and subject heading list can be accessed on the Web at *http://www.pubs.asce.org/cedbsrch.html*.

Acceleration

Accelerated Assessment and Fuzzy Evaluation of Concrete Durability. — Zongjin Li, C. K. Chau, and Xiangming Zhou; 17(3), 257-63 (2005).

Adhesive bonding

Central Peeling Failure Behavior of Polymer Cement Mortar Retrofitting of Reinforced Concrete Beams. — Kouichi Satoh and Katsumi Kodama; 17(2), 126-36 (2005).

Aggregates

RCC/Soil-Cement: What's the Difference? — Ying-Kit Choi and Kenneth D. Hansen; 17(4), 371-8 (2005).

Properties of New and Recycled Clay Brick Aggregates for Use in Concrete. — Fouad M. Khalaf and Alan S. DeVenny; 17(4), 456-64 (2005).

Unified Method to Quantify Aggregate Shape Angularity and Texture Using Fourier Analysis. — Linbing Wang, Xingran Wang, Louay Mohammad, and Chris Abadie; 17(5), 498-504 (2005).

Anisotropic Aggregate Base Inputs for Mechanistic Pavement Analysis Considering Effects of Moving Wheel Loads. — Umit Seyhan, Erol Tutumluer, and Hamza Yesilyurt; 17(5), 505-12 (2005).

Ladle Furnace Slag in Construction. — Juan M. Manso, Milagros Losañez, Juan A. Polanco, and Javier J. Gonzalez; 17(5), 513-8 (2005).

Impact of Lime Modification of Asphalt and Freeze–Thaw Cycling on the Asphalt–Aggregate Interaction and Moisture Resistance to Moisture Damage. — Shin-Che Huang, Raymond E. Robertson, Jan F. Branthaver, and J. Claine Petersen; 17(6), 711-8 (2005).

Aging

Factors Affecting Binder Properties between Production and Construction. — Edith Arámbula Mercado, Amy Epps Martin, Eun Sug Park, Clifford Spiegelman, and Charles J. Glover; 17(1), 89-98 (2005).

Anisotropy

Anisotropic Aggregate Base Inputs for Mechanistic Pavement Analysis Considering Effects of Moving Wheel Loads. — Umit Seyhan, Erol Tutumluer, and Hamza Yesilyurt; 17(5), 505-12 (2005).

Anisotropic Properties of Asphalt Concrete: Characterization and Implications for Pavement Design and Analysis. — Linbing Wang, Laureano R. Hoyos, Jay Wang, George Voyiadjis, and Chris Abadie; 17(5), 535-43 (2005).

Ashes

Cast-Concrete Products Made with FBC Ash and Wet-Collected Coal-Ash. — Tarun R. Naik, Rudolph N. Kraus, Yoon-moon Chun, and Francois D. Botha; 17(6), 659-63 (2005).

Asphalt cement

Unique Effects of Hydrated Lime Filler on the Performance-Related Properties of Asphalt Cements: Physical and Chemical Interactions Revisited. — Dallas N. Little and J. Claine Petersen; 17(2), 207-18 (2005).

Asphalt concrete

New Measurement of Thermal Properties of Superpave Asphalt Concrete. — Joseph Luca and Donath Mrawira; 17(1), 72-9 (2005).

Two-Step Approach to Prediction of Asphalt Concrete Modulus from Two-Phase Micromechanical Models. — Yongqi Li and John B. Metcalf; 17(4), 407-15 (2005).

Evaluation of Open-Graded Friction Course Mixtures Containing Cellulose Fibers and Styrene Butadiene Rubber Polymer. — Hossam F. Hassan, Salim Al-Oraimi, and Ramzi Taha; 17(4), 416-22 (2005).

Unified Method to Quantify Aggregate Shape Angularity and Texture Using Fourier Analysis. — Linbing Wang, Xingran Wang, Louay Mohammad, and Chris Abadie; 17(5), 498-504 (2005).

Viscoelastic–Viscoplastic Model with Damage for Asphalt Concrete. — Jacob Uzan; 17(5), 528-34 (2005).

Anisotropic Properties of Asphalt Concrete: Characterization and Implications for Pavement Design and Analysis. — Linbing Wang, Laureano R. Hoyos, Jay Wang, George Voyiadjis, and Chris Abadie; 17(5), 535-43 (2005).

Asphalt mixes

Asphalt Mixes Deformation Sensitivity to Change in Rheological Parameters. — Antoni Szydlo and Piotr Mackiewicz; 17(1), 1-9 (2005).

Hot Mix Asphalt Mix Design Evaluation Using the Corelok Vacuum-Sealing Device. — M. Shane Buchanan and Thomas D. White; 17(2), 137-42 (2005).

Application of Gray Relational Analysis to Evaluate HMA with Reclaimed Building Materials. — Der-Hsien Shen and Jia-Chong Du; 17(4), 400-6 (2005).

Two-Step Approach to Prediction of Asphalt Concrete Modulus from Two-Phase Micromechanical Models. — Yongqi Li and John B. Metcalf; 17(4), 407-15 (2005).

Assessment of Temperature Fluctuations in Asphalt Pavements Due to Thermal Environmental Conditions Using a Two-Dimensional, Transient Finite-Difference Approach. — C. Yavuzturk, K. Ksaibati, and A. D. Chiasson; 17(4), 465-75 (2005).

Damage-Induced Modeling of Asphalt Mixtures through Computational Micromechanics and Cohesive Zone Fracture. — Yong-Rak Kim, D. H. Allen, and D. N. Little; 17(5), 477-84 (2005).

Effect of Jordanian Oil Shale Fly Ash on Asphalt Mixes. — Ibrahim Asi and Abdullah Assa'ad; 17(5), 553-9 (2005).

Asphalt pavements

Neural Network Model for Asphalt Concrete Permeability. — Rafiqul Alam Tarefder, Luther White, and Musharraf Zaman; 17(1), 19-27 (2005).

Effect of Radial Inhomogeneity on Shear Properties of Asphalt Mixtures. — Haleh Azari, Richard McCuen, and Kevin Stuart; 17(1), 80-8 (2005).

Factors Affecting Binder Properties between Production and Construction. — Edith Arámbula Mercado, Amy Epps Martin, Eun Sug Park, Clifford Spiegelman, and Charles J. Glover; 17(1), 89-98 (2005).

Viscoelastoplastic Continuum Damage Model Application to Thermal Cracking of Asphalt Concrete. — Ghassan R. Chehab and Y. Richard Kim; 17(4), 384-92 (2005).

Application of Gray Relational Analysis to Evaluate HMA with Reclaimed Building Materials. — Der-Hsien Shen and Jia-Chong Du; 17(4), 400-6 (2005).

Assessment of Temperature Fluctuations in Asphalt Pavements Due to Thermal Environmental Conditions Using a Two-Dimensional, Transient Finite-Difference Approach. — C. Yavuzturk, K. Ksaibati, and A. D. Chiasson; 17(4), 465-75 (2005).

Anisotropic Properties of Asphalt Concrete: Characterization and Implications for Pavement Design and Analysis. — Linbing Wang, Laureano R. Hoyos, Jay Wang, George Voyiadjis, and Chris Abadie; 17(5), 535-43 (2005).

Asphalts

Is Low-Temperature Creep of Asphalt Mastic Independent of Filler Shape and Mineralogy?— Arguments from Multiscale Analysis. — Roman Lackner, Markus Spiegl, Ronald Blab, and Josef Eberhardsteiner; 17(5), 485-91 (2005).

Direct Measurement of Asphalt Binder Thermal Cracking. — Sang-Soo Kim; 17(6), 632-9 (2005).

Impact of Lime Modification of Asphalt and Freeze–Thaw Cycling on the Asphalt–Aggregate Interaction and Moisture Resistance to Moisture Damage. — Shin-Che Huang, Raymond E. Robertson, Jan F. Branthaver, and J. Claine Petersen; 17(6), 711-8 (2005).

Civil Engineering Database Subject Heading Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1970. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2005 from a CEDB subject heading list. The CEDB and subject heading list can be accessed on the Web at *http://www.pubs.asce.org/cedbsrch.html*.

Acceleration

Accelerated Assessment and Fuzzy Evaluation of Concrete Durability. — Zongjin Li, C. K. Chau, and Xiangming Zhou; 17(3), 257-63 (2005).

Adhesive bonding

Central Peeling Failure Behavior of Polymer Cement Mortar Retrofitting of Reinforced Concrete Beams. — Kouichi Satoh and Katsumi Kodama; 17(2), 126-36 (2005).

Aggregates

RCC/Soil-Cement: What's the Difference? — Ying-Kit Choi and Kenneth D. Hansen; 17(4), 371-8 (2005).

Properties of New and Recycled Clay Brick Aggregates for Use in Concrete. — Fouad M. Khalaf and Alan S. DeVenny; 17(4), 456-64 (2005).

Unified Method to Quantify Aggregate Shape Angularity and Texture Using Fourier Analysis. — Linbing Wang, Xingran Wang, Louay Mohammad, and Chris Abadie; 17(5), 498-504 (2005).

Anisotropic Aggregate Base Inputs for Mechanistic Pavement Analysis Considering Effects of Moving Wheel Loads. — Umit Seyhan, Erol Tutumluer, and Hamza Yesilyurt; 17(5), 505-12 (2005).

Ladle Furnace Slag in Construction. — Juan M. Manso, Milagros Losañez, Juan A. Polanco, and Javier J. Gonzalez; 17(5), 513-8 (2005).

Impact of Lime Modification of Asphalt and Freeze–Thaw Cycling on the Asphalt–Aggregate Interaction and Moisture Resistance to Moisture Damage. — Shin-Che Huang, Raymond E. Robertson, Jan F. Branthaver, and J. Claine Petersen; 17(6), 711-8 (2005).

Aging

Factors Affecting Binder Properties between Production and Construction. — Edith Arámbula Mercado, Amy Epps Martin, Eun Sug Park, Clifford Spiegelman, and Charles J. Glover; 17(1), 89-98 (2005).

Anisotropy

Anisotropic Aggregate Base Inputs for Mechanistic Pavement Analysis Considering Effects of Moving Wheel Loads. — Umit Seyhan, Erol Tutumluer, and Hamza Yesilyurt; 17(5), 505-12 (2005).

Anisotropic Properties of Asphalt Concrete: Characterization and Implications for Pavement Design and Analysis. — Linbing Wang, Laureano R. Hoyos, Jay Wang, George Voyiadjis, and Chris Abadie; 17(5), 535-43 (2005).

Ashes

Cast-Concrete Products Made with FBC Ash and Wet-Collected Coal-Ash. — Tarun R. Naik, Rudolph N. Kraus, Yoon-moon Chun, and Francois D. Botha; 17(6), 659-63 (2005).

Asphalt cement

Unique Effects of Hydrated Lime Filler on the Performance-Related Properties of Asphalt Cements: Physical and Chemical Interactions Revisited. — Dallas N. Little and J. Claine Petersen; 17(2), 207-18 (2005).

Asphalt concrete

New Measurement of Thermal Properties of Superpave Asphalt Concrete. — Joseph Luca and Donath Mrawira; 17(1), 72-9 (2005).

Two-Step Approach to Prediction of Asphalt Concrete Modulus from Two-Phase Micromechanical Models. — Yongqi Li and John B. Metcalf; 17(4), 407-15 (2005).

Evaluation of Open-Graded Friction Course Mixtures Containing Cellulose Fibers and Styrene Butadiene Rubber Polymer. — Hossam F. Hassan, Salim Al-Oraimi, and Ramzi Taha; 17(4), 416-22 (2005).

Unified Method to Quantify Aggregate Shape Angularity and Texture Using Fourier Analysis. — Linbing Wang, Xingran Wang, Louay Mohammad, and Chris Abadie; 17(5), 498-504 (2005).

Viscoelastic–Viscoplastic Model with Damage for Asphalt Concrete. — Jacob Uzan; 17(5), 528-34 (2005).

Anisotropic Properties of Asphalt Concrete: Characterization and Implications for Pavement Design and Analysis. — Linbing Wang, Laureano R. Hoyos, Jay Wang, George Voyiadjis, and Chris Abadie; 17(5), 535-43 (2005).

Asphalt mixes

Asphalt Mixes Deformation Sensitivity to Change in Rheological Parameters. — Antoni Szydlo and Piotr Mackiewicz; 17(1), 1-9 (2005).

Hot Mix Asphalt Mix Design Evaluation Using the Corelok Vacuum-Sealing Device. — M. Shane Buchanan and Thomas D. White; 17(2), 137-42 (2005).

Application of Gray Relational Analysis to Evaluate HMA with Reclaimed Building Materials. — Der-Hsien Shen and Jia-Chong Du; 17(4), 400-6 (2005).

Two-Step Approach to Prediction of Asphalt Concrete Modulus from Two-Phase Micromechanical Models. — Yongqi Li and John B. Metcalf; 17(4), 407-15 (2005).

Assessment of Temperature Fluctuations in Asphalt Pavements Due to Thermal Environmental Conditions Using a Two-Dimensional, Transient Finite-Difference Approach. — C. Yavuzturk, K. Ksaibati, and A. D. Chiasson; 17(4), 465-75 (2005).

Damage-Induced Modeling of Asphalt Mixtures through Computational Micromechanics and Cohesive Zone Fracture. — Yong-Rak Kim, D. H. Allen, and D. N. Little; 17(5), 477-84 (2005).

Effect of Jordanian Oil Shale Fly Ash on Asphalt Mixes. — Ibrahim Asi and Abdullah Assa'ad; 17(5), 553-9 (2005).

Asphalt pavements

Neural Network Model for Asphalt Concrete Permeability. — Rafiqul Alam Tarefder, Luther White, and Musharraf Zaman; 17(1), 19-27 (2005).

Effect of Radial Inhomogeneity on Shear Properties of Asphalt Mixtures. — Haleh Azari, Richard McCuen, and Kevin Stuart; 17(1), 80-8 (2005).

Factors Affecting Binder Properties between Production and Construction. — Edith Arámbula Mercado, Amy Epps Martin, Eun Sug Park, Clifford Spiegelman, and Charles J. Glover; 17(1), 89-98 (2005).

Viscoelastoplastic Continuum Damage Model Application to Thermal Cracking of Asphalt Concrete. — Ghassan R. Chehab and Y. Richard Kim; 17(4), 384-92 (2005).

Application of Gray Relational Analysis to Evaluate HMA with Reclaimed Building Materials. — Der-Hsien Shen and Jia-Chong Du; 17(4), 400-6 (2005).

Assessment of Temperature Fluctuations in Asphalt Pavements Due to Thermal Environmental Conditions Using a Two-Dimensional, Transient Finite-Difference Approach. — C. Yavuzturk, K. Ksaibati, and A. D. Chiasson; 17(4), 465-75 (2005).

Anisotropic Properties of Asphalt Concrete: Characterization and Implications for Pavement Design and Analysis. — Linbing Wang, Laureano R. Hoyos, Jay Wang, George Voyiadjis, and Chris Abadie; 17(5), 535-43 (2005).

Asphalts

Is Low-Temperature Creep of Asphalt Mastic Independent of Filler Shape and Mineralogy?— Arguments from Multiscale Analysis. — Roman Lackner, Markus Spiegl, Ronald Blab, and Josef Eberhardsteiner; 17(5), 485-91 (2005).

Direct Measurement of Asphalt Binder Thermal Cracking. — Sang-Soo Kim; 17(6), 632-9 (2005).

Impact of Lime Modification of Asphalt and Freeze–Thaw Cycling on the Asphalt–Aggregate Interaction and Moisture Resistance to Moisture Damage. — Shin-Che Huang, Raymond E. Robertson, Jan F. Branthaver, and J. Claine Petersen; 17(6), 711-8 (2005).

Australia
Capacities of Dowel-Type Fastener Joints in Australian Pine. — Ian Smith, Greg Foliente, Minh Nguyen, and Michael Syme; 17(6), 664-75 (2005).

Axial loads
Failure Surface for Concrete under Multiaxial Load—a Unified Approach. — Puay Eng Constance Seow and Somsak Swaddiwudhipong; 17(2), 219-28 (2005).

Bars
Effect of Bar Diameter on the Behavior of Lightly Reinforced Concrete Beams. — Alessandro P. Fantilli, Daniele Ferretti, and Gianpaolo Rosati; 17(1), 10-8 (2005).

Base course
Anisotropic Aggregate Base Inputs for Mechanistic Pavement Analysis Considering Effects of Moving Wheel Loads. — Umit Seyhan, Erol Tutumluer, and Hamza Yesilyurt; 17(5), 505-12 (2005).
Laboratory Evaluation of the Geogauge and Light Falling Weight Deflectometer as Construction Control Tools. — Khalid A. Alshibli, Murad Abu-Farsakh, and Ekrem Seyman; 17(5), 560-9 (2005).
Enhanced Performance of Stabilized By-Product Gypsum. — Mingjiang Tao and Zhongjie Zhang; 17(6), 617-23 (2005).
Class F Fly-Ash-Amended Soils as Highway Base Materials. — Sunil Arora and Ahmet H. Aydilek; 17(6), 640-9 (2005).

Beams
Effect of Bar Diameter on the Behavior of Lightly Reinforced Concrete Beams. — Alessandro P. Fantilli, Daniele Ferretti, and Gianpaolo Rosati; 17(1), 10-8 (2005).
Behavior of Patch-Repaired Concrete Structural Elements under Increasing Static Loads to Flexural Failure. — O. Río, C. Andrade, D. Izquierdo, and C. Alonso; 17(2), 168-77 (2005).

Bearing capacity
Behavior of Patch-Repaired Concrete Structural Elements under Increasing Static Loads to Flexural Failure. — O. Río, C. Andrade, D. Izquierdo, and C. Alonso; 17(2), 168-77 (2005).

Bending
Effect of Bar Diameter on the Behavior of Lightly Reinforced Concrete Beams. — Alessandro P. Fantilli, Daniele Ferretti, and Gianpaolo Rosati; 17(1), 10-8 (2005).

Bentonite
High-Density Bentonite Slurry for Seepage Barriers. — M. Asada and S. Horiuchi; 17(2), 178-87 (2005).
Large-Scale Cutoff Wall Model Test Using Ethanol Bentonite Slurry. — M. Asada, A. Ishikawa, and S. Horiuchi; 17(6), 719-24 (2005).

Biaxial stress
Unified Yield Criterion for Masonry and Concrete in Multiaxial Stress States. — L. Bortolotti, S. Carta, and D. Cireddu; 17(1), 54-62 (2005).

Binders, materials
Factors Affecting Binder Properties between Production and Construction. — Edith Arámbula Mercado, Amy Epps Martin, Eun Sug Park, Clifford Spiegelman, and Charles J. Glover; 17(1), 89-98 (2005).
Stabilization of Crushed Basaltic Rocks and Clay Mixtures Using Cementitious Additives. — Srijib Chakrabarti and Jayantha Kodikara; 17(4), 432-9 (2005).

Bitumen
Fracture Tests on Bitumen Films. — J. A. F. Harvey and D. Cebon; 17(1), 99-106 (2005).
Phenomenological Model for Monotonic and Cyclic Behavior of Pure Bitumen. — E. A. Ossa, V. S. Deshpande, and D. Cebon; 17(2), 188-97 (2005).
Unique Effects of Hydrated Lime Filler on the Performance-Related Properties of Asphalt Cements: Physical and Chemical Interactions Revisited. — Dallas N. Little and J. Claine Petersen; 17(2), 207-18 (2005).
Is Low-Temperature Creep of Asphalt Mastic Independent of Filler Shape and Mineralogy?—Arguments from Multiscale Analysis. — Roman Lackner, Markus Spiegl, Ronald Blab, and Josef Eberhardsteiner; 17(5), 485-91 (2005).

Bonding strength
Brick-Mortar Bond and Masonry Compressive Strength. — G. Sarangapani, B. V. Venkatarama Reddy, and K. S. Jagadish; 17(2), 229-37 (2005).
Reinforcing Steel Strains Measured by Bragg Grating Sensors. — Albin Kenel, Philipp Nellen, Andreas Frank, and Peter Marti; 17(4), 423-31 (2005).
New Test for Determination of Masonry Tensile Bond Strength. — Fouad M. Khalaf; 17(6), 725-32 (2005).

Brick masonry
Brick-Mortar Bond and Masonry Compressive Strength. — G. Sarangapani, B. V. Venkatarama Reddy, and K. S. Jagadish; 17(2), 229-37 (2005).

Bricks
Brick-Mortar Bond and Masonry Compressive Strength. — G. Sarangapani, B. V. Venkatarama Reddy, and K. S. Jagadish; 17(2), 229-37 (2005).
Properties of New and Recycled Clay Brick Aggregates for Use in Concrete. — Fouad M. Khalaf and Alan S. DeVenny; 17(4), 456-64 (2005).
New Test for Determination of Masonry Tensile Bond Strength. — Fouad M. Khalaf; 17(6), 725-32 (2005).

Bridge decks
Central Peeling Failure Behavior of Polymer Cement Mortar Retrofitting of Reinforced Concrete Beams. — Kouichi Satoh and Katsumi Kodama; 17(2), 126-36 (2005).
Quantitative Microstructural Investigation of Deteriorated Reinforced Concrete Bridge Deck. — Mohamed Elzafraney and Parviz Soroushian; 17(2), 159-67 (2005).

Bridge inspection
Evaluation of Wrought Iron for Continued Service in Historic Bridges. — Robert Gordon and Robert Knopf; 17(4), 393-9 (2005).

Bridges
Evaluation of Wrought Iron for Continued Service in Historic Bridges. — Robert Gordon and Robert Knopf; 17(4), 393-9 (2005).

Brittle failure
Fracture Tests on Bitumen Films. — J. A. F. Harvey and D. Cebon; 17(1), 99-106 (2005).

Brittleness
Does Calcium Leaching Increase Ductility of Cementitious Materials? Evidence from Direct Tensile Tests. — F. H. Heukamp, F.-J. Ulm, and J. T. Germaine; 17(3), 307-12 (2005).
Stress–Strain Model for Laterally Confined Concrete. — Weena P. Lokuge, J. G. Sanjayan, and Sujeeva Setunge; 17(6), 607-16 (2005).

Buildings
Monitoring of Origin and Evolution of Building Stones through Their Major Components. — A. C. Iñigo, F. J. López-Moro, S. Vicente-Tavera, and V. Rives; 17(4), 440-6 (2005).

Calcium carbonate
Unique Effects of Hydrated Lime Filler on the Performance-Related Properties of Asphalt Cements: Physical and Chemical Interactions Revisited. — Dallas N. Little and J. Claine Petersen; 17(2), 207-18 (2005).

Carbonation
Accelerated Assessment and Fuzzy Evaluation of Concrete Durability. — Zongjin Li, C. K. Chau, and Xiangming Zhou; 17(3), 257-63 (2005).
Nonlinear Coupling of Carbonation and Chloride Diffusion in Concrete. — W. Puatatsananon and V. E. Saouma; 17(3), 264-75 (2005).
Deterioration of Reinforced Concrete Structures due to Chemical–Physical Phenomena: Model-Based Simulation. — Anna V. Saetta; 17(3), 313-9 (2005).
Model for Simulating Carbonation of Fly Ash Concrete. — J. Khunthongkeaw and S. Tangtermsirikul; 17(5), 570-8 (2005).

Cement
Material Properties of High Volume Fly Ash Cement Paste Structural Fill. — Ata G. Doven and Ayse Pekrioglu; 17(6), 686-93 (2005).

Cements
Characterizing Rheology of Fresh Short Fiber Reinforced Cementitious Composite through Capillary Extrusion. — Xiangming Zhou and Zongjin Li; 17(1), 28-35 (2005).
Does Calcium Leaching Increase Ductility of Cementitious Materials? Evidence from Direct Tensile Tests. — F. H. Heukamp, F.-J. Ulm, and J. T. Germaine; 17(3), 307-12 (2005).
Prediction of 28 Days Compressive Strength of 53-Grade Cements Using Dimensional Analysis. — D. R. Phatak and N. P. Deshpande; 17(6), 733-5 (2005).

Chemical properties
Unique Effects of Hydrated Lime Filler on the Performance-Related Properties of Asphalt Cements: Physical and Chemical Interactions Revisited. — Dallas N. Little and J. Claine Petersen; 17(2), 207-18 (2005).

Chlorides
Nonlinear Coupling of Carbonation and Chloride Diffusion in Concrete. — W. Puatatsananon and V. E. Saouma; 17(3), 264-75 (2005).
Deterioration of Reinforced Concrete Structures due to Chemical–Physical Phenomena: Model-Based Simulation. — Anna V. Saetta; 17(3), 313-9 (2005).

Chromium
Effect of Alloy Composition on Atmospheric Corrosion of Weathering Steel. — Richard H. McCuen and Pedro Albrecht; 17(2), 117-25 (2005).

Clays
High-Density Bentonite Slurry for Seepage Barriers. — M. Asada and S. Horiuchi; 17(2), 178-87 (2005).
Properties of New and Recycled Clay Brick Aggregates for Use in Concrete. — Fouad M. Khalaf and Alan S. DeVenny; 17(4), 456-64 (2005).
Large-Scale Cutoff Wall Model Test Using Ethanol Bentonite Slurry. — M. Asada, A. Ishikawa, and S. Horiuchi; 17(6), 719-24 (2005).

Coastal environment
Performance of Volcanic Ash Based Precast and In Situ Blended Cement Concretes in Marine Environment. — Khandaker M. Anwar Hossain; 17(6), 694-702 (2005).

Compacted soils
Laboratory Evaluation of the Geogauge and Light Falling Weight Deflectometer as Construction Control Tools. — Khalid A. Alshibli, Murad Abu-Farsakh, and Ekrem Seyman; 17(5), 560-9 (2005).

Compaction
Corrosion of Reinforcement in Relation to Presence of Defects at the Interface between Steel and Concrete. — T. A. Söylev and R. François; 17(4), 447-55 (2005).

Composite materials
Effect of Water Sorption on Performance of Pultruded E-Glass/Vinylester Composites. — Wellington Chu and Vistasp M. Karbhari; 17(1), 63-71 (2005).
Shotcrete Elasticity Revisited in the Framework of Continuum Micromechanics: From Submicron to Meter Level. — Christian Hellmich and Herbert Mang; 17(3), 246-56 (2005).
Composite Damage Models for Diffusivity of Distressed Materials. — Yunping Xi and Ammar Nakhi; 17(3), 286-95 (2005).
Pultruded Carbon Fiber/Vinyl Ester Composites Processed with Different Fiber Sizing Agents. Part I: Processing and Static Mechanical Performance. — N. S. Broyles, K. N. E. Verghese, R. M. Davis, J. J. Lesko, and J. S. Riffle; 17(3), 320-33 (2005).
Pultruded Carbon Fiber/Vinyl Ester Composites Processed with Different Fiber Sizing Agents. Part II: Enviro-Mechanical Durability. — K. N. E. Verghese, N. S. Broyles, J. J. Lesko, R. M. Davis, and J. S. Riffle; 17(3), 334-42 (2005).
Pultruded Carbon Fiber/Vinyl Ester Composites Processed with Different Fiber Sizing Agents. Part III: Theoretical Aspects. — K. N. E. Verghese, N. S. Broyles, S. W. Case, J. J. Lesko, R. M. Davis, and J. S. Riffle; 17(3), 343-52 (2005).
Two-Step Approach to Prediction of Asphalt Concrete Modulus from Two-Phase Micromechanical Models. — Yongqi Li and John B. Metcalf; 17(4), 407-15 (2005).
Short Fiber Reinforced Geopolymer Composites Manufactured by Extrusion. — Zongjin Li, Yunsheng Zhang, and Xiangming Zhou; 17(6), 624-31 (2005).

Compression strength
Geotechnical Characterization of Some Indian Fly Ashes. — Sarat Kumar Das and Yudhbir; 17(5), 544-52 (2005).

Compressive strength
Compression Behavior and Failure Mechanisms of Concrete Masonry Prisms. — Hasan Orhun Köksal, Cengiz Karakoç, and Hakki Yildirim; 17(1), 107-15 (2005).
Rapid-Hardening Concrete Mixes. — Husam Najm and Perumalsamy Balaguru; 17(2), 198-206 (2005).
Brick-Mortar Bond and Masonry Compressive Strength. — G. Sarangapani, B. V. Venkatarama Reddy, and K. S. Jagadish; 17(2), 229-37 (2005).
Application of Probabilistic Neural Networks for Prediction of Concrete Strength. — Doo Kie Kim, Jong Jae Lee, Jong Han Lee, and Seong Kyu Chang; 17(3), 353-62 (2005).
Stabilization of Crushed Basaltic Rocks and Clay Mixtures Using Cementitious Additives. — Srijib Chakrabarti and Jayantha Kodikara; 17(4), 432-9 (2005).
Enhanced Performance of Stabilized By-Product Gypsum. — Mingjiang Tao and Zhongjie Zhang; 17(6), 617-23 (2005).
Cast-Concrete Products Made with FBC Ash and Wet-Collected Coal-Ash. — Tarun R. Naik, Rudolph N. Kraus, Yoon-moon Chun, and Francois D. Botha; 17(6), 659-63 (2005).
Performance of Volcanic Ash Based Precast and In Situ Blended Cement Concretes in Marine Environment. — Khandaker M. Anwar Hossain; 17(6), 694-702 (2005).
Prediction of 28 Days Compressive Strength of 53-Grade Cements Using Dimensional Analysis. — D. R. Phatak and N. P. Deshpande; 17(6), 733-5 (2005).

Computer software
Quantitative Microstructural Investigation of Deteriorated Reinforced Concrete Bridge Deck. — Mohamed Elzafraney and Parviz Soroushian; 17(2), 159-67 (2005).

Concrete
Influence of Ultrafine Fly Ash on the Early Age Response and the Shrinkage Cracking Potential of Concrete. — Kolluru V. Subramaniam, Roman Gromotka, Surendra P. Shah, Karthik Obla, and Russell Hill; 17(1), 45-53 (2005).
Unified Yield Criterion for Masonry and Concrete in Multiaxial Stress States. — L. Bortolotti, S. Carta, and D. Cireddu; 17(1), 54-62 (2005).
Rapid-Hardening Concrete Mixes. — Husam Najm and Perumalsamy Balaguru; 17(2), 198-206 (2005).
Thermal Degradation of Heterogeneous Concrete Materials. — K. Willam, I. Rhee, and Y. Xi; 17(3), 276-85 (2005).
Self-Consolidating Concrete for Use in Drilled Shaft Applications. — Donald Hodgson, III, Anton K. Schindler, Dan A. Brown, and Mary Stroup-Gardiner; 17(3), 363-9 (2005).
Reinforcing Steel Strains Measured by Bragg Grating Sensors. — Albin Kenel, Philipp Nellen, Andreas Frank, and Peter Marti; 17(4), 423-31 (2005).
Corrosion of Reinforcement in Relation to Presence of Defects at the Interface between Steel and Concrete. — T. A. Söylev and R. François; 17(4), 447-55 (2005).
Properties of New and Recycled Clay Brick Aggregates for Use in Concrete. — Fouad M. Khalaf and Alan S. DeVenny; 17(4), 456-64 (2005).
Bending and Uniaxial Tensile Tests on Concrete Reinforced with Hybrid Steel Fibers. — L. G. Sorelli, A. Meda, and G. A. Plizzari; 17(5), 519-27 (2005).
Model for Simulating Carbonation of Fly Ash Concrete. — J. Khunthongkeaw and S. Tangtermsirikul; 17(5), 570-8 (2005).
Flexural Fatigue-Life Distributions of Plain and Fibrous Concrete at Various Stress Levels. — Yaghoub Mohammadi and S. K. Kaushik; 17(6), 650-8 (2005).

Concrete blocks
Cast-Concrete Products Made with FBC Ash and Wet-Collected Coal-Ash. — Tarun R. Naik, Rudolph N. Kraus, Yoon-moon Chun, and Francois D. Botha; 17(6), 659-63 (2005).

Concrete deterioration
Central Peeling Failure Behavior of Polymer Cement Mortar Retrofitting of Reinforced Concrete Beams. — Kouichi Satoh and Katsumi Kodama; 17(2), 126-36 (2005).
Behavior of Patch-Repaired Concrete Structural Elements under Increasing Static Loads to Flexural Failure. — O. Río, C. Andrade, D. Izquierdo, and C. Alonso; 17(2), 168-77 (2005).
Nonlinear Coupling of Carbonation and Chloride Diffusion in Concrete. — W. Puatatsananon and V. E. Saouma; 17(3), 264-75 (2005).
Deterioration of Reinforced Concrete Structures due to Chemical–Physical Phenomena: Model-Based Simulation. — Anna V. Saetta; 17(3), 313-9 (2005).

Concrete durability
Accelerated Assessment and Fuzzy Evaluation of Concrete Durability. — Zongjin Li, C. K. Chau, and Xiangming Zhou; 17(3), 257-63 (2005).
Composite Damage Models for Diffusivity of Distressed Materials. — Yunping Xi and Ammar Nakhi; 17(3), 286-95 (2005).
Application of Probabilistic Neural Networks for Prediction of Concrete Strength. — Doo Kie Kim, Jong Jae Lee, Jong Han Lee, and Seong Kyu Chang; 17(3), 353-62 (2005).
Procedure to Interpret Electrical Conductivity Measurements in Cover Concrete during Rewetting. — Farshad Rajabipour, Jason Weiss, John D. Shane, Thomas O. Mason, and Surendra P. Shah; 17(5), 586-94 (2005).
Microfiber and Macrofiber Hybrid Fiber-Reinforced Concrete. — John S. Lawler, Davide Zampini, and Surendra P. Shah; 17(5), 595-604 (2005).
Performance of Volcanic Ash Based Precast and In Situ Blended Cement Concretes in Marine Environment. — Khandaker M. Anwar Hossain; 17(6), 694-702 (2005).

Concrete masonry
Compression Behavior and Failure Mechanisms of Concrete Masonry Prisms. — Hasan Orhun Köksal, Cengiz Karakoç, and Hakki Yildirim; 17(1), 107-15 (2005).
Cast-Concrete Products Made with FBC Ash and Wet-Collected Coal-Ash. — Tarun R. Naik, Rudolph N. Kraus, Yoon-moon Chun, and Francois D. Botha; 17(6), 659-63 (2005).

Concrete precast
Cast-Concrete Products Made with FBC Ash and Wet-Collected Coal-Ash. — Tarun R. Naik, Rudolph N. Kraus, Yoon-moon Chun, and Francois D. Botha; 17(6), 659-63 (2005).

Concrete properties
Effect of Curing and Deterioration on Stress Wave Velocities in Concrete. — Andrew J. Boyd and Christopher C. Ferraro; 17(2), 153-8 (2005).

Concrete structures
Stress–Strain Model for Laterally Confined Concrete. — Weena P. Lokuge, J. G. Sanjayan, and Sujeeva Setunge; 17(6), 607-16 (2005).

Concrete, reinforced
Effect of Bar Diameter on the Behavior of Lightly Reinforced Concrete Beams. — Alessandro P. Fantilli, Daniele Ferretti, and Gianpaolo Rosati; 17(1), 10-8 (2005).
Quantitative Microstructural Investigation of Deteriorated Reinforced Concrete Bridge Deck. — Mohamed Elzafraney and Parviz Soroushian; 17(2), 159-67 (2005).
Deterioration of Reinforced Concrete Structures due to Chemical–Physical Phenomena: Model-Based Simulation. — Anna V. Saetta; 17(3), 313-9 (2005).

Confinement
Stress–Strain Model for Laterally Confined Concrete. — Weena P. Lokuge, J. G. Sanjayan, and Sujeeva Setunge; 17(6), 607-16 (2005).

Connections
Effects of Decay on the Cyclic Properties of Nailed Connections. — Scott M. Kent, Robert J. Leichti, David V. Rosowsky, and Jeffrey J. Morrell; 17(5), 579-85 (2005).

Constitutive models
Phenomenological Model for Monotonic and Cyclic Behavior of Pure Bitumen. — E. A. Ossa, V. S. Deshpande, and D. Cebon; 17(2), 188-97 (2005).
Strain Self-Sensing Property and Strain Rate Dependent Constitutive Model of Austenitic Shape Memory Alloy: Experiment and Theory. — Hui Li, Chen-Xi Mao, and Jin-Ping Ou; 17(6), 676-85 (2005).

Construction costs
RCC/Soil-Cement: What's the Difference? — Ying-Kit Choi and Kenneth D. Hansen; 17(4), 371-8 (2005).

Construction materials
Application of Gray Relational Analysis to Evaluate HMA with Reclaimed Building Materials. — Der-Hsien Shen and Jia-Chong Du; 17(4), 400-6 (2005).
Development of an Analytical Method for Simultaneous Heat and Moisture Transfer in Building Materials Utilizing Transfer Function Method. — Menghao Qin and Rafik Belarbi; 17(5), 492-7 (2005).

Construction methods
Laboratory Evaluation of the Geogauge and Light Falling Weight Deflectometer as Construction Control Tools. — Khalid A. Alshibli, Murad Abu-Farsakh, and Ekrem Seyman; 17(5), 560-9 (2005).

Containment
High-Density Bentonite Slurry for Seepage Barriers. — M. Asada and S. Horiuchi; 17(2), 178-87 (2005).

Contamination
Factors Affecting Binder Properties between Production and Construction. — Edith Arámbula Mercado, Amy Epps Martin, Eun Sug Park, Clifford Spiegelman, and Charles J. Glover; 17(1), 89-98 (2005).

Control methods
Laboratory Evaluation of the Geogauge and Light Falling Weight Deflectometer as Construction Control Tools. — Khalid A. Alshibli, Murad Abu-Farsakh, and Ekrem Seyman; 17(5), 560-9 (2005).

Copper
Effect of Alloy Composition on Atmospheric Corrosion of Weathering Steel. — Richard H. McCuen and Pedro Albrecht; 17(2), 117-25 (2005).

Corrosion
Effect of Alloy Composition on Atmospheric Corrosion of Weathering Steel. — Richard H. McCuen and Pedro Albrecht; 17(2), 117-25 (2005).
Deterioration of Reinforced Concrete Structures due to Chemical–Physical Phenomena: Model-Based Simulation. — Anna V. Saetta; 17(3), 313-9 (2005).
Corrosion of Reinforcement in Relation to Presence of Defects at the Interface between Steel and Concrete. — T. A. Söylev and R. François; 17(4), 447-55 (2005).

Coupling
Nonlinear Coupling of Carbonation and Chloride Diffusion in Concrete. — W. Puatatsananon and V. E. Saouma; 17(3), 264-75 (2005).

Cracking
Effect of Bar Diameter on the Behavior of Lightly Reinforced Concrete Beams. — Alessandro P. Fantilli, Daniele Ferretti, and Gianpaolo Rosati; 17(1), 10-8 (2005).
Influence of Ultrafine Fly Ash on the Early Age Response and the Shrinkage Cracking Potential of Concrete. — Kolluru V. Subramaniam, Roman Gromotka, Surendra P. Shah, Karthik Obla, and Russell Hill; 17(1), 45-53 (2005).
Rapid-Hardening Concrete Mixes. — Husam Najm and Perumalsamy Balaguru; 17(2), 198-206 (2005).
Viscoelastoplastic Continuum Damage Model Application to Thermal Cracking of Asphalt Concrete. — Ghassan R. Chehab and Y. Richard Kim; 17(4), 384-92 (2005).
Reinforcing Steel Strains Measured by Bragg Grating Sensors. — Albin Kenel, Philipp Nellen, Andreas Frank, and Peter Marti; 17(4), 423-31 (2005).
Direct Measurement of Asphalt Binder Thermal Cracking. — Sang-Soo Kim; 17(6), 632-9 (2005).
Modeling of Moisture Diffusion in Crushed Basaltic Rock Stabilized with Cementitious Binders. — Jayantha Kodikara and Srijib Chakrabarti; 17(6), 703-10 (2005).

Creep
Asphalt Mixes Deformation Sensitivity to Change in Rheological Parameters. — Antoni Szydlo and Piotr Mackiewicz; 17(1), 1-9 (2005).
Is Low-Temperature Creep of Asphalt Mastic Independent of Filler Shape and Mineralogy?—Arguments from Multiscale Analysis. — Roman Lackner, Markus Spiegl, Ronald Blab, and Josef Eberhardsteiner; 17(5), 485-91 (2005).
Effect of Jordanian Oil Shale Fly Ash on Asphalt Mixes. — Ibrahim Asi and Abdullah Assa'ad; 17(5), 553-9 (2005).

Creep rupture
Fracture Tests on Bitumen Films. — J. A. F. Harvey and D. Cebon; 17(1), 99-106 (2005).

Cutoffs
High-Density Bentonite Slurry for Seepage Barriers. — M. Asada and S. Horiuchi; 17(2), 178-87 (2005).

Cyclic loads
Effects of Decay on the Cyclic Properties of Nailed Connections. — Scott M. Kent, Robert J. Leichti, David V. Rosowsky, and Jeffrey J. Morrell; 17(5), 579-85 (2005).
Strain Self-Sensing Property and Strain Rate Dependent Constitutive Model of Austenitic Shape Memory Alloy: Experiment and Theory. — Hui Li, Chen-Xi Mao, and Jin-Ping Ou; 17(6), 676-85 (2005).

Cyclic tests
Phenomenological Model for Monotonic and Cyclic Behavior of Pure Bitumen. — E. A. Ossa, V. S. Deshpande, and D. Cebon; 17(2), 188-97 (2005).

Damage
Thermal Degradation of Heterogeneous Concrete Materials. — K. Willam, I. Rhee, and Y. Xi; 17(3), 276-85 (2005).
Composite Damage Models for Diffusivity of Distressed Materials. — Yunping Xi and Ammar Nakhi; 17(3), 286-95 (2005).
Deterioration of Reinforced Concrete Structures due to Chemical–Physical Phenomena: Model-Based Simulation. — Anna V. Saetta; 17(3), 313-9 (2005).
Damage-Induced Modeling of Asphalt Mixtures through Computational Micromechanics and Cohesive Zone Fracture. — Yong-Rak Kim, D. H. Allen, and D. N. Little; 17(5), 477-84 (2005).
Viscoelastic–Viscoplastic Model with Damage for Asphalt Concrete. — Jacob Uzan; 17(5), 528-34 (2005).
Impact of Lime Modification of Asphalt and Freeze–Thaw Cycling on the Asphalt–Aggregate Interaction and Moisture Resistance to Moisture Damage. — Shin-Che Huang, Raymond E. Robertson, Jan F. Branthaver, and J. Claine Petersen; 17(6), 711-8 (2005).

Damage analysis
Compression Behavior and Failure Mechanisms of Concrete Masonry Prisms. — Hasan Orhun Köksal, Cengiz Karakoç, and Hakki Yildirim; 17(1), 107-15 (2005).

Decay
Effects of Decay on the Cyclic Properties of Nailed Connections. — Scott M. Kent, Robert J. Leichti, David V. Rosowsky, and Jeffrey J. Morrell; 17(5), 579-85 (2005).

Deflection
Reinforcing Steel Strains Measured by Bragg Grating Sensors. — Albin Kenel, Philipp Nellen, Andreas Frank, and Peter Marti; 17(4), 423-31 (2005).

Deformation
Asphalt Mixes Deformation Sensitivity to Change in Rheological Parameters. — Antoni Szydlo and Piotr Mackiewicz; 17(1), 1-9 (2005).
Degradation
Effect of Water Sorption on Performance of Pultruded E-Glass/Vinylester Composites. — Wellington Chu and Vistasp M. Karbhari; 17(1), 63-71 (2005).
Thermal Degradation of Heterogeneous Concrete Materials. — K. Willam, I. Rhee, and Y. Xi; 17(3), 276-85 (2005).
Design
Capacities of Dowel-Type Fastener Joints in Australian Pine. — Ian Smith, Greg Foliente, Minh Nguyen, and Michael Syme; 17(6), 664-75 (2005).
Deterioration
Quantitative Microstructural Investigation of Deteriorated Reinforced Concrete Bridge Deck. — Mohamed Elzafraney and Parviz Soroushian; 17(2), 159-67 (2005).
Sensitivity Analysis in Reliability-Based Lifetime Performance Prediction Using Simulation. — Jung S. Kong and Dan M. Frangopol; 17(3), 296-306 (2005).
Diffusivity
Composite Damage Models for Diffusivity of Distressed Materials. — Yunping Xi and Ammar Nakhi; 17(3), 286-95 (2005).
Dimensional analysis
Prediction of 28 Days Compressive Strength of 53-Grade Cements Using Dimensional Analysis. — D. R. Phatak and N. P. Deshpande; 17(6), 733-5 (2005).
Dispersion
Dispersion of Short Fibers in Cement. — D. D. L. Chung; 17(4), 379-83 (2005).
Displacement
Hot Mix Asphalt Mix Design Evaluation Using the Corelok Vacuum-Sealing Device. — M. Shane Buchanan and Thomas D. White; 17(2), 137-42 (2005).
Dowels
Capacities of Dowel-Type Fastener Joints in Australian Pine. — Ian Smith, Greg Foliente, Minh Nguyen, and Michael Syme; 17(6), 664-75 (2005).
Drilled shafts
Self-Consolidating Concrete for Use in Drilled Shaft Applications. — Donald Hodgson, III, Anton K. Schindler, Dan A. Brown, and Mary Stroup-Gardiner; 17(3), 363-9 (2005).
Ductility
Behavior of Patch-Repaired Concrete Structural Elements under Increasing Static Loads to Flexural Failure. — O. Río, C. Andrade, D. Izquierdo, and C. Alonso; 17(2), 168-77 (2005).
Does Calcium Leaching Increase Ductility of Cementitious Materials? Evidence from Direct Tensile Tests. — F. H. Heukamp, F.-J. Ulm, and J. T. Germaine; 17(3), 307-12 (2005).
Durability
Effect of Curing and Deterioration on Stress Wave Velocities in Concrete. — Andrew J. Boyd and Christopher C. Ferraro; 17(2), 153-8 (2005).
Deterioration of Reinforced Concrete Structures due to Chemical–Physical Phenomena: Model-Based Simulation. — Anna V. Saetta; 17(3), 313-9 (2005).
Pultruded Carbon Fiber/Vinyl Ester Composites Processed with Different Fiber Sizing Agents. Part II: Enviro-Mechanical Durability. — K. N. E. Verghese, N. S. Broyles, J. J. Lesko, R. M. Davis, and J. S. Riffle; 17(3), 334-42 (2005).
RCC/Soil-Cement: What's the Difference? — Ying-Kit Choi and Kenneth D. Hansen; 17(4), 371-8 (2005).
Ladle Furnace Slag in Construction. — Juan M. Manso, Milagros Losañez, Juan A. Polanco, and Javier J. Gonzalez; 17(5), 513-8 (2005).
Enhanced Performance of Stabilized By-Product Gypsum. — Mingjiang Tao and Zhongjie Zhang; 17(6), 617-23 (2005).
Cast-Concrete Products Made with FBC Ash and Wet-Collected Coal-Ash. — Tarun R. Naik, Rudolph N. Kraus, Yoon-moon Chun, and Francois D. Botha; 17(6), 659-63 (2005).
Dynamic loads
Testing and Evaluation of Used Automobile Tires and Recycled Tire-Derived Materials for Low-Cost Crash Cushions. — Mustaque Hossain and Daniel T. Nabors; 17(1), 36-44 (2005).
Elasticity
Shotcrete Elasticity Revisited in the Framework of Continuum Micromechanics: From Submicron to Meter Level. — Christian Hellmich and Herbert Mang; 17(3), 246-56 (2005).
Two-Step Approach to Prediction of Asphalt Concrete Modulus from Two-Phase Micromechanical Models. — Yongqi Li and John B. Metcalf; 17(4), 407-15 (2005).
Strain Self-Sensing Property and Strain Rate Dependent Constitutive Model of Austenitic Shape Memory Alloy: Experiment and Theory. — Hui Li, Chen-Xi Mao, and Jin-Ping Ou; 17(6), 676-85 (2005).
Electrical conductivity
Procedure to Interpret Electrical Conductivity Measurements in Cover Concrete during Rewetting. — Farshad Rajabipour, Jason Weiss, John D. Shane, Thomas O. Mason, and Surendra P. Shah; 17(5), 586-94 (2005).
Electrical measurement
Procedure to Interpret Electrical Conductivity Measurements in Cover Concrete during Rewetting. — Farshad Rajabipour, Jason Weiss, John D. Shane, Thomas O. Mason, and Surendra P. Shah; 17(5), 586-94 (2005).
Electrical resistivity
Dispersion of Short Fibers in Cement. — D. D. L. Chung; 17(4), 379-83 (2005).
Envelope
Development of an Analytical Method for Simultaneous Heat and Moisture Transfer in Building Materials Utilizing Transfer Function Method. — Menghao Qin and Rafik Belarbi; 17(5), 492-7 (2005).
Environmental impacts
Assessment of Temperature Fluctuations in Asphalt Pavements Due to Thermal Environmental Conditions Using a Two-Dimensional, Transient Finite-Difference Approach. — C. Yavuzturk, K. Ksaibati, and A. D. Chiasson; 17(4), 465-75 (2005).
Failure modes
Short Fiber Reinforced Geopolymer Composites Manufactured by Extrusion. — Zongjin Li, Yunsheng Zhang, and Xiangming Zhou; 17(6), 624-31 (2005).
Failure surface
Failure Surface for Concrete under Multiaxial Load—a Unified Approach. — Puay Eng Constance Seow and Somsak Swaddiwudhipong; 17(2), 219-28 (2005).
Failures
Stress–Strain Model for Laterally Confined Concrete. — Weena P. Lokuge, J. G. Sanjayan, and Sujeeva Setunge; 17(6), 607-16 (2005).
Falling bodies
Laboratory Evaluation of the Geogauge and Light Falling Weight Deflectometer as Construction Control Tools. — Khalid A. Alshibli, Murad Abu-Farsakh, and Ekrem Seyman; 17(5), 560-9 (2005).
Fasteners
Capacities of Dowel-Type Fastener Joints in Australian Pine. — Ian Smith, Greg Foliente, Minh Nguyen, and Michael Syme; 17(6), 664-75 (2005).
Fatigue
Flexural Fatigue-Life Distributions of Plain and Fibrous Concrete at Various Stress Levels. — Yaghoub Mohammadi and S. K. Kaushik; 17(6), 650-8 (2005).
Feedback control
Accelerated Assessment and Fuzzy Evaluation of Concrete Durability. — Zongjin Li, C. K. Chau, and Xiangming Zhou; 17(3), 257-63 (2005).
Fiber composites
Behavior of Hybrid-Fiber Engineered Cementitious Composites Subjected to Dynamic Tensile Loading and Projectile Impact. — Mohamed Maalej, Ser Tong Quek, and Jing Zhang; 17(2), 143-52 (2005).
Fiber reinforced materials
Characterizing Rheology of Fresh Short Fiber Reinforced Cementitious Composite through Capillary Extrusion. — Xiangming Zhou and Zongjin Li; 17(1), 28-35 (2005).
Bending and Uniaxial Tensile Tests on Concrete Reinforced with Hybrid Steel Fibers. — L. G. Sorelli, A. Meda, and G. A. Plizzari; 17(5), 519-27 (2005).
Microfiber and Macrofiber Hybrid Fiber-Reinforced Concrete. — John S. Lawler, Davide Zampini, and Surendra P. Shah; 17(5), 595-604 (2005).
Flexural Fatigue-Life Distributions of Plain and Fibrous Concrete at Various Stress Levels. — Yaghoub Mohammadi and S. K. Kaushik; 17(6), 650-8 (2005).
Fiber reinforced polymers
Short Fiber Reinforced Geopolymer Composites Manufactured by Extrusion. — Zongjin Li, Yunsheng Zhang, and Xiangming Zhou; 17(6), 624-31 (2005).
Fibers
Pultruded Carbon Fiber/Vinyl Ester Composites Processed with Different Fiber Sizing Agents. Part I: Processing and Static Mechanical Performance. — N. S. Broyles, K. N. E. Verghese, R. M. Davis, J. J. Lesko, and J. S. Riffle; 17(3), 320-33 (2005).
Pultruded Carbon Fiber/Vinyl Ester Composites Processed with Different Fiber Sizing Agents. Part II: Enviro-Mechanical Durability. — K. N. E. Verghese, N. S. Broyles, J. J. Lesko, R. M. Davis, and J. S. Riffle; 17(3), 334-42 (2005).

Pultruded Carbon Fiber/Vinyl Ester Composites Processed with Different Fiber Sizing Agents. Part III: Theoretical Aspects. — K. N. E. Verghese, N. S. Broyles, S. W. Case, J. J. Lesko, R. M. Davis, and J. S. Riffle; 17(3), 343-52 (2005).
Dispersion of Short Fibers in Cement. — D. D. L. Chung; 17(4), 379-83 (2005).
Evaluation of Open-Graded Friction Course Mixtures Containing Cellulose Fibers and Styrene Butadiene Rubber Polymer. — Hossam F. Hassan, Salim Al-Oraimi, and Ramzi Taha; 17(4), 416-22 (2005).

Field tests

Self-Consolidating Concrete for Use in Drilled Shaft Applications. — Donald Hodgson, III, Anton K. Schindler, Dan A. Brown, and Mary Stroup-Gardiner; 17(3), 363-9 (2005).

Fills

Unique Effects of Hydrated Lime Filler on the Performance-Related Properties of Asphalt Cements: Physical and Chemical Interactions Revisited. — Dallas N. Little and J. Claine Petersen; 17(2), 207-18 (2005).
Is Low-Temperature Creep of Asphalt Mastic Independent of Filler Shape and Mineralogy?—Arguments from Multiscale Analysis. — Roman Lackner, Markus Spiegl, Ronald Blab, and Josef Eberhardsteiner; 17(5), 485-91 (2005).
Material Properties of High Volume Fly Ash Cement Paste Structural Fill. — Ata G. Doven and Ayse Pekrioglu; 17(6), 686-93 (2005).

Fine-grained soils

Stabilization of Crushed Basaltic Rocks and Clay Mixtures Using Cementitious Additives. — Srijib Chakrabarti and Jayantha Kodikara; 17(4), 432-9 (2005).

Finite difference method

Assessment of Temperature Fluctuations in Asphalt Pavements Due to Thermal Environmental Conditions Using a Two-Dimensional, Transient Finite-Difference Approach. — C. Yavuzturk, K. Ksaibati, and A. D. Chiasson; 17(4), 465-75 (2005).

Finite differences

Nonlinear Coupling of Carbonation and Chloride Diffusion in Concrete. — W. Puatatsananon and V. E. Saouma; 17(3), 264-75 (2005).

Finite element method

Compression Behavior and Failure Mechanisms of Concrete Masonry Prisms. — Hasan Orhun Köksal, Cengiz Karakoç, and Hakki Yildirim; 17(1), 107-15 (2005).
Failure Surface for Concrete under Multiaxial Load—a Unified Approach. — Puay Eng Constance Seow and Somsak Swaddiwudhipong; 17(2), 219-28 (2005).
Deterioration of Reinforced Concrete Structures due to Chemical–Physical Phenomena: Model-Based Simulation. — Anna V. Saetta; 17(3), 313-9 (2005).
Damage-Induced Modeling of Asphalt Mixtures through Computational Micromechanics and Cohesive Zone Fracture. — Yong-Rak Kim, D. H. Allen, and D. N. Little; 17(5), 477-84 (2005).
Procedure to Interpret Electrical Conductivity Measurements in Cover Concrete during Rewetting. — Farshad Rajabipour, Jason Weiss, John D. Shane, Thomas O. Mason, and Surendra P. Shah; 17(5), 586-94 (2005).

Flexible pavements

Direct Measurement of Asphalt Binder Thermal Cracking. — Sang-Soo Kim; 17(6), 632-9 (2005).

Flexural strength

Brick-Mortar Bond and Masonry Compressive Strength. — G. Sarangapani, B. V. Venkatarama Reddy, and K. S. Jagadish; 17(2), 229-37 (2005).

Flexure

Flexural Fatigue-Life Distributions of Plain and Fibrous Concrete at Various Stress Levels. — Yaghoub Mohammadi and S. K. Kaushik; 17(6), 650-8 (2005).

Fly ash

Influence of Ultrafine Fly Ash on the Early Age Response and the Shrinkage Cracking Potential of Concrete. — Kolluru V. Subramaniam, Roman Gromotka, Surendra P. Shah, Karthik Obla, and Russell Hill; 17(1), 45-53 (2005).
Self-Consolidating Concrete for Use in Drilled Shaft Applications. — Donald Hodgson, III, Anton K. Schindler, Dan A. Brown, and Mary Stroup-Gardiner; 17(3), 363-9 (2005).
Geotechnical Characterization of Some Indian Fly Ashes. — Sarat Kumar Das and Yudhbir; 17(5), 544-52 (2005).
Effect of Jordanian Oil Shale Fly Ash on Asphalt Mixes. — Ibrahim Asi and Abdullah Assa'ad; 17(5), 553-9 (2005).
Model for Simulating Carbonation of Fly Ash Concrete. — J. Khunthongkeaw and S. Tangtermsirikul; 17(5), 570-8 (2005).
Short Fiber Reinforced Geopolymer Composites Manufactured by Extrusion. — Zongjin Li, Yunsheng Zhang, and Xiangming Zhou; 17(6), 624-31 (2005).
Class F Fly-Ash-Amended Soils as Highway Base Materials. — Sunil Arora and Ahmet H. Aydilek; 17(6), 640-9 (2005).
Material Properties of High Volume Fly Ash Cement Paste Structural Fill. — Ata G. Doven and Ayse Pekrioglu; 17(6), 686-93 (2005).

Fourier analysis

Unified Method to Quantify Aggregate Shape Angularity and Texture Using Fourier Analysis. — Linbing Wang, Xingran Wang, Louay Mohammad, and Chris Abadie; 17(5), 498-504 (2005).

Fracture mechanics

Fracture Tests on Bitumen Films. — J. A. F. Harvey and D. Cebon; 17(1), 99-106 (2005).
Viscoelastic–Viscoplastic Model with Damage for Asphalt Concrete. — Jacob Uzan; 17(5), 528-34 (2005).

Fractures

Damage-Induced Modeling of Asphalt Mixtures through Computational Micromechanics and Cohesive Zone Fracture. — Yong-Rak Kim, D. H. Allen, and D. N. Little; 17(5), 477-84 (2005).
Bending and Uniaxial Tensile Tests on Concrete Reinforced with Hybrid Steel Fibers. — L. G. Sorelli, A. Meda, and G. A. Plizzari; 17(5), 519-27 (2005).

Freeze–thaw

Impact of Lime Modification of Asphalt and Freeze–Thaw Cycling on the Asphalt–Aggregate Interaction and Moisture Resistance to Moisture Damage. — Shin-Che Huang, Raymond E. Robertson, Jan F. Branthaver, and J. Claine Petersen; 17(6), 711-8 (2005).

Freeze-thaw

Accelerated Assessment and Fuzzy Evaluation of Concrete Durability. — Zongjin Li, C. K. Chau, and Xiangming Zhou; 17(3), 257-63 (2005).
Cast-Concrete Products Made with FBC Ash and Wet-Collected Coal-Ash. — Tarun R. Naik, Rudolph N. Kraus, Yoon-moon Chun, and Francois D. Botha; 17(6), 659-63 (2005).

Friction

Evaluation of Open-Graded Friction Course Mixtures Containing Cellulose Fibers and Styrene Butadiene Rubber Polymer. — Hossam F. Hassan, Salim Al-Oraimi, and Ramzi Taha; 17(4), 416-22 (2005).

Fuzzy sets

Accelerated Assessment and Fuzzy Evaluation of Concrete Durability. — Zongjin Li, C. K. Chau, and Xiangming Zhou; 17(3), 257-63 (2005).

Glass

Effect of Water Sorption on Performance of Pultruded E-Glass/Vinylester Composites. — Wellington Chu and Vistasp M. Karbhari; 17(1), 63-71 (2005).

Grain size

Geotechnical Characterization of Some Indian Fly Ashes. — Sarat Kumar Das and Yudhbir; 17(5), 544-52 (2005).

Grouting

Compression Behavior and Failure Mechanisms of Concrete Masonry Prisms. — Hasan Orhun Köksal, Cengiz Karakoç, and Hakki Yildirim; 17(1), 107-15 (2005).
High-Density Bentonite Slurry for Seepage Barriers. — M. Asada and S. Horiuchi; 17(2), 178-87 (2005).
Material Properties of High Volume Fly Ash Cement Paste Structural Fill. — Ata G. Doven and Ayse Pekrioglu; 17(6), 686-93 (2005).

Gypsum

Enhanced Performance of Stabilized By-Product Gypsum. — Mingjiang Tao and Zhongjie Zhang; 17(6), 617-23 (2005).

Hazardous wastes

Large-Scale Cutoff Wall Model Test Using Ethanol Bentonite Slurry. — M. Asada, A. Ishikawa, and S. Horiuchi; 17(6), 719-24 (2005).

Heat capacity

New Measurement of Thermal Properties of Superpave Asphalt Concrete. — Joseph Luca and Donath Mrawira; 17(1), 72-9 (2005).

Heat flow

New Measurement of Thermal Properties of Superpave Asphalt Concrete. — Joseph Luca and Donath Mrawira; 17(1), 72-9 (2005).

Heat transfer

Assessment of Temperature Fluctuations in Asphalt Pavements Due to Thermal Environmental Conditions Using a Two-Dimensional, Transient Finite-Difference Approach. — C. Yavuzturk, K. Ksaibati, and A. D. Chiasson; 17(4), 465-75 (2005).

Development of an Analytical Method for Simultaneous Heat and Moisture Transfer in Building Materials Utilizing Transfer Function Method. — Menghao Qin and Rafik Belarbi; 17(5), 492-7 (2005).

High strength concretes

Failure Surface for Concrete under Multiaxial Load—a Unified Approach. — Puay Eng Constance Seow and Somsak Swaddiwudhipong; 17(2), 219-28 (2005).

Stress–Strain Model for Laterally Confined Concrete. — Weena P. Lokuge, J. G. Sanjayan, and Sujeeva Setunge; 17(6), 607-16 (2005).

Highway

Class F Fly-Ash-Amended Soils as Highway Base Materials. — Sunil Arora and Ahmet H. Aydilek; 17(6), 640-9 (2005).

Highway safety

Testing and Evaluation of Used Automobile Tires and Recycled Tire-Derived Materials for Low-Cost Crash Cushions. — Mustaque Hossain and Daniel T. Nabors; 17(1), 36-44 (2005).

Historic sites

Monitoring of Origin and Evolution of Building Stones through Their Major Components. — A. C. Iñigo, F. J. López-Moro, S. Vicente-Tavera, and V. Rives; 17(4), 440-6 (2005).

History

Evaluation of Wrought Iron for Continued Service in Historic Bridges. — Robert Gordon and Robert Knopf; 17(4), 393-9 (2005).

Homogeneity

Effect of Radial Inhomogeneity on Shear Properties of Asphalt Mixtures. — Haleh Azari, Richard McCuen, and Kevin Stuart; 17(1), 80-8 (2005).

Image analysis

Quantitative Microstructural Investigation of Deteriorated Reinforced Concrete Bridge Deck. — Mohamed Elzafraney and Parviz Soroushian; 17(2), 159-67 (2005).

Unified Method to Quantify Aggregate Shape Angularity and Texture Using Fourier Analysis. — Linbing Wang, Xingran Wang, Louay Mohammad, and Chris Abadie; 17(5), 498-504 (2005).

Impact tests

Behavior of Hybrid-Fiber Engineered Cementitious Composites Subjected to Dynamic Tensile Loading and Projectile Impact. — Mohamed Maalej, Ser Tong Quek, and Jing Zhang; 17(2), 143-52 (2005).

India

Geotechnical Characterization of Some Indian Fly Ashes. — Sarat Kumar Das and Yudhbir ; 17(5), 544-52 (2005).

Industrial wastes

Material Properties of High Volume Fly Ash Cement Paste Structural Fill. — Ata G. Doven and Ayse Pekrioglu; 17(6), 686-93 (2005).

Interfaces

Corrosion of Reinforcement in Relation to Presence of Defects at the Interface between Steel and Concrete. — T. A. Söylev and R. François; 17(4), 447-55 (2005).

Iron

Evaluation of Wrought Iron for Continued Service in Historic Bridges. — Robert Gordon and Robert Knopf; 17(4), 393-9 (2005).

Japan

Central Peeling Failure Behavior of Polymer Cement Mortar Retrofitting of Reinforced Concrete Beams. — Kouichi Satoh and Katsumi Kodama; 17(2), 126-36 (2005).

Joints

Fracture Tests on Bitumen Films. — J. A. F. Harvey and D. Cebon; 17(1), 99-106 (2005).

Capacities of Dowel-Type Fastener Joints in Australian Pine. — Ian Smith, Greg Foliente, Minh Nguyen, and Michael Syme; 17(6), 664-75 (2005).

New Test for Determination of Masonry Tensile Bond Strength. — Fouad M. Khalaf; 17(6), 725-32 (2005).

Jordan

Effect of Jordanian Oil Shale Fly Ash on Asphalt Mixes. — Ibrahim Asi and Abdullah Assa'ad; 17(5), 553-9 (2005).

Laboratory tests

RCC/Soil-Cement: What's the Difference? — Ying-Kit Choi and Kenneth D. Hansen; 17(4), 371-8 (2005).

Laboratory Evaluation of the Geogauge and Light Falling Weight Deflectometer as Construction Control Tools. — Khalid A. Alshibli, Murad Abu-Farsakh, and Ekrem Seyman; 17(5), 560-9 (2005).

Leaching

Does Calcium Leaching Increase Ductility of Cementitious Materials? Evidence from Direct Tensile Tests. — F. H. Heukamp, F.-J. Ulm, and J. T. Germaine; 17(3), 307-12 (2005).

Limestone

Enhanced Performance of Stabilized By-Product Gypsum. — Mingjiang Tao and Zhongjie Zhang; 17(6), 617-23 (2005).

Limit states

Behavior of Patch-Repaired Concrete Structural Elements under Increasing Static Loads to Flexural Failure. — O. Río, C. Andrade, D. Izquierdo, and C. Alonso; 17(2), 168-77 (2005).

Loads

Anisotropic Aggregate Base Inputs for Mechanistic Pavement Analysis Considering Effects of Moving Wheel Loads. — Umit Seyhan, Erol Tutumluer, and Hamza Yesilyurt; 17(5), 505-12 (2005).

Masonry

Unified Yield Criterion for Masonry and Concrete in Multiaxial Stress States. — L. Bortolotti, S. Carta, and D. Cireddu; 17(1), 54-62 (2005).

New Test for Determination of Masonry Tensile Bond Strength. — Fouad M. Khalaf; 17(6), 725-32 (2005).

Material properties

Testing and Evaluation of Used Automobile Tires and Recycled Tire-Derived Materials for Low-Cost Crash Cushions. — Mustaque Hossain and Daniel T. Nabors; 17(1), 36-44 (2005).

Influence of Ultrafine Fly Ash on the Early Age Response and the Shrinkage Cracking Potential of Concrete. — Kolluru V. Subramaniam, Roman Gromotka, Surendra P. Shah, Karthik Obla, and Russell Hill; 17(1), 45-53 (2005).

Unique Effects of Hydrated Lime Filler on the Performance-Related Properties of Asphalt Cements: Physical and Chemical Interactions Revisited. — Dallas N. Little and J. Claine Petersen; 17(2), 207-18 (2005).

Strain Self-Sensing Property and Strain Rate Dependent Constitutive Model of Austenitic Shape Memory Alloy: Experiment and Theory. — Hui Li, Chen-Xi Mao, and Jin-Ping Ou; 17(6), 676-85 (2005).

Material Properties of High Volume Fly Ash Cement Paste Structural Fill. — Ata G. Doven and Ayse Pekrioglu; 17(6), 686-93 (2005).

Material tests

Two-Step Approach to Prediction of Asphalt Concrete Modulus from Two-Phase Micromechanical Models. — Yongqi Li and John B. Metcalf; 17(4), 407-15 (2005).

Direct Measurement of Asphalt Binder Thermal Cracking. — Sang-Soo Kim; 17(6), 632-9 (2005).

Materials engineering

Challenges in Mechanics and Materials Research in the Twenty-First Century. — Ken P. Chong and Jorn Larsen-Basse; 17(3), 241-5 (2005).

Measurement

Effect of Curing and Deterioration on Stress Wave Velocities in Concrete. — Andrew J. Boyd and Christopher C. Ferraro; 17(2), 153-8 (2005).

Direct Measurement of Asphalt Binder Thermal Cracking. — Sang-Soo Kim; 17(6), 632-9 (2005).

Mechanical engineering

Challenges in Mechanics and Materials Research in the Twenty-First Century. — Ken P. Chong and Jorn Larsen-Basse; 17(3), 241-5 (2005).

Mechanical properties

Pultruded Carbon Fiber/Vinyl Ester Composites Processed with Different Fiber Sizing Agents. Part I: Processing and Static Mechanical Performance. — N. S. Broyles, K. N. E. Verghese, R. M. Davis, J. J. Lesko, and J. S. Riffle; 17(3), 320-33 (2005).

Ladle Furnace Slag in Construction. — Juan M. Manso, Milagros Losañez, Juan A. Polanco, and Javier J. Gonzalez; 17(5), 513-8 (2005).

Micromechanics

Shotcrete Elasticity Revisited in the Framework of Continuum Micromechanics: From Submicron to Meter Level. — Christian Hellmich and Herbert Mang; 17(3), 246-56 (2005).

Two-Step Approach to Prediction of Asphalt Concrete Modulus from Two-Phase Micromechanical Models. — Yongqi Li and John B. Metcalf; 17(4), 407-15 (2005).

Damage-Induced Modeling of Asphalt Mixtures through Computational Micromechanics and Cohesive Zone Fracture. — Yong-Rak Kim, D. H. Allen, and D. N. Little; 17(5), 477-84 (2005).

Microscopy

Quantitative Microstructural Investigation of Deteriorated Reinforced Concrete Bridge Deck. — Mohamed Elzafraney and Parviz Soroushian; 17(2), 159-67 (2005).

Microstructures

Quantitative Microstructural Investigation of Deteriorated Reinforced Concrete Bridge Deck. — Mohamed Elzafraney and Parviz Soroushian; 17(2), 159-67 (2005).

Mixing

Hot Mix Asphalt Mix Design Evaluation Using the Corelok Vacuum-Sealing Device. — M. Shane Buchanan and Thomas D. White; 17(2), 137-42 (2005).

Mixtures
Rapid-Hardening Concrete Mixes. — Husam Najm and Perumalsamy Balaguru; 17(2), 198-206 (2005).
Evaluation of Open-Graded Friction Course Mixtures Containing Cellulose Fibers and Styrene Butadiene Rubber Polymer. — Hossam F. Hassan, Salim Al-Oraimi, and Ramzi Taha; 17(4), 416-22 (2005).
Microfiber and Macrofiber Hybrid Fiber-Reinforced Concrete. — John S. Lawler, Davide Zampini, and Surendra P. Shah; 17(5), 595-604 (2005).
Class F Fly-Ash-Amended Soils as Highway Base Materials. — Sunil Arora and Ahmet H. Aydilek; 17(6), 640-9 (2005).

Models
Damage-Induced Modeling of Asphalt Mixtures through Computational Micromechanics and Cohesive Zone Fracture. — Yong-Rak Kim, D. H. Allen, and D. N. Little; 17(5), 477-84 (2005).
Model for Simulating Carbonation of Fly Ash Concrete. — J. Khunthongkeaw and S. Tangtermsirikul; 17(5), 570-8 (2005).

Moisture
Development of an Analytical Method for Simultaneous Heat and Moisture Transfer in Building Materials Utilizing Transfer Function Method. — Menghao Qin and Rafik Belarbi; 17(5), 492-7 (2005).
Modeling of Moisture Diffusion in Crushed Basaltic Rock Stabilized with Cementitious Binders. — Jayantha Kodikara and Srijib Chakrabarti; 17(6), 703-10 (2005).
Impact of Lime Modification of Asphalt and Freeze–Thaw Cycling on the Asphalt–Aggregate Interaction and Moisture Resistance to Moisture Damage. — Shin-Che Huang, Raymond E. Robertson, Jan F. Branthaver, and J. Claine Petersen; 17(6), 711-8 (2005).

Monitoring
Monitoring of Origin and Evolution of Building Stones through Their Major Components. — A. C. Iñigo, F. J. López-Moro, S. Vicente-Tavera, and V. Rives; 17(4), 440-6 (2005).

Mortar
Ladle Furnace Slag in Construction. — Juan M. Manso, Milagros Losañez, Juan A. Polanco, and Javier J. Gonzalez; 17(5), 513-8 (2005).

Mortars
Central Peeling Failure Behavior of Polymer Cement Mortar Retrofitting of Reinforced Concrete Beams. — Kouichi Satoh and Katsumi Kodama; 17(2), 126-36 (2005).
Brick-Mortar Bond and Masonry Compressive Strength. — G. Sarangapani, B. V. Venkatarama Reddy, and K. S. Jagadish; 17(2), 229-37 (2005).
Dispersion of Short Fibers in Cement. — D. D. L. Chung; 17(4), 379-83 (2005).
New Test for Determination of Masonry Tensile Bond Strength. — Fouad M. Khalaf; 17(6), 725-32 (2005).

Nails
Effects of Decay on the Cyclic Properties of Nailed Connections. — Scott M. Kent, Robert J. Leichti, David V. Rosowsky, and Jeffrey J. Morrell; 17(5), 579-85 (2005).

Neural networks
Neural Network Model for Asphalt Concrete Permeability. — Rafiqul Alam Tarefder, Luther White, and Musharraf Zaman; 17(1), 19-27 (2005).
Application of Probabilistic Neural Networks for Prediction of Concrete Strength. — Doo Kie Kim, Jong Jae Lee, Jong Han Lee, and Seong Kyu Chang; 17(3), 353-62 (2005).

Nondestructive tests
Effect of Radial Inhomogeneity on Shear Properties of Asphalt Mixtures. — Haleh Azari, Richard McCuen, and Kevin Stuart; 17(1), 80-8 (2005).
Effect of Curing and Deterioration on Stress Wave Velocities in Concrete. — Andrew J. Boyd and Christopher C. Ferraro; 17(2), 153-8 (2005).

Oil shale
Effect of Jordanian Oil Shale Fly Ash on Asphalt Mixes. — Ibrahim Asi and Abdullah Assa'ad; 17(5), 553-9 (2005).

Parameters
Asphalt Mixes Deformation Sensitivity to Change in Rheological Parameters. — Antoni Szydlo and Piotr Mackiewicz; 17(1), 1-9 (2005).
Prediction of 28 Days Compressive Strength of 53-Grade Cements Using Dimensional Analysis. — D. R. Phatak and N. P. Deshpande; 17(6), 733-5 (2005).

Pavement condition
Assessment of Temperature Fluctuations in Asphalt Pavements Due to Thermal Environmental Conditions Using a Two-Dimensional, Transient Finite-Difference Approach. — C. Yavuzturk, K. Ksaibati, and A. D. Chiasson; 17(4), 465-75 (2005).

Pavement deflection
Assessment of Temperature Fluctuations in Asphalt Pavements Due to Thermal Environmental Conditions Using a Two-Dimensional, Transient Finite-Difference Approach. — C. Yavuzturk, K. Ksaibati, and A. D. Chiasson; 17(4), 465-75 (2005).

Pavement design
Anisotropic Properties of Asphalt Concrete: Characterization and Implications for Pavement Design and Analysis. — Linbing Wang, Laureano R. Hoyos, Jay Wang, George Voyiadjis, and Chris Abadie; 17(5), 535-43 (2005).

Pavements
New Measurement of Thermal Properties of Superpave Asphalt Concrete. — Joseph Luca and Donath Mrawira; 17(1), 72-9 (2005).
Stabilization of Crushed Basaltic Rocks and Clay Mixtures Using Cementitious Additives. — Srijib Chakrabarti and Jayantha Kodikara; 17(4), 432-9 (2005).
Anisotropic Aggregate Base Inputs for Mechanistic Pavement Analysis Considering Effects of Moving Wheel Loads. — Umit Seyhan, Erol Tutumluer, and Hamza Yesilyurt; 17(5), 505-12 (2005).
Modeling of Moisture Diffusion in Crushed Basaltic Rock Stabilized with Cementitious Binders. — Jayantha Kodikara and Srijib Chakrabarti; 17(6), 703-10 (2005).

Penetration resistance
Behavior of Hybrid-Fiber Engineered Cementitious Composites Subjected to Dynamic Tensile Loading and Projectile Impact. — Mohamed Maalej, Ser Tong Quek, and Jing Zhang; 17(2), 143-52 (2005).

Performance evaluation
Accelerated Assessment and Fuzzy Evaluation of Concrete Durability. — Zongjin Li, C. K. Chau, and Xiangming Zhou; 17(3), 257-63 (2005).

Permeability
Neural Network Model for Asphalt Concrete Permeability. — Rafiqul Alam Tarefder, Luther White, and Musharraf Zaman; 17(1), 19-27 (2005).
High-Density Bentonite Slurry for Seepage Barriers. — M. Asada and S. Horiuchi; 17(2), 178-87 (2005).
Accelerated Assessment and Fuzzy Evaluation of Concrete Durability. — Zongjin Li, C. K. Chau, and Xiangming Zhou; 17(3), 257-63 (2005).
Microfiber and Macrofiber Hybrid Fiber-Reinforced Concrete. — John S. Lawler, Davide Zampini, and Surendra P. Shah; 17(5), 595-604 (2005).
Performance of Volcanic Ash Based Precast and In Situ Blended Cement Concretes in Marine Environment. — Khandaker M. Anwar Hossain; 17(6), 694-702 (2005).
Large-Scale Cutoff Wall Model Test Using Ethanol Bentonite Slurry. — M. Asada, A. Ishikawa, and S. Horiuchi; 17(6), 719-24 (2005).

Phosphorous
Effect of Alloy Composition on Atmospheric Corrosion of Weathering Steel. — Richard H. McCuen and Pedro Albrecht; 17(2), 117-25 (2005).

Physical properties
Ladle Furnace Slag in Construction. — Juan M. Manso, Milagros Losañez, Juan A. Polanco, and Javier J. Gonzalez; 17(5), 513-8 (2005).

Plastic analysis
Compression Behavior and Failure Mechanisms of Concrete Masonry Prisms. — Hasan Orhun Köksal, Cengiz Karakoç, and Hakki Yildirim; 17(1), 107-15 (2005).

Plastic deformation
Effect of Jordanian Oil Shale Fly Ash on Asphalt Mixes. — Ibrahim Asi and Abdullah Assa'ad; 17(5), 553-9 (2005).

Poisson ratio
Shotcrete Elasticity Revisited in the Framework of Continuum Micromechanics: From Submicron to Meter Level. — Christian Hellmich and Herbert Mang; 17(3), 246-56 (2005).

Polymers
Central Peeling Failure Behavior of Polymer Cement Mortar Retrofitting of Reinforced Concrete Beams. — Kouichi Satoh and Katsumi Kodama; 17(2), 126-36 (2005).
Pultruded Carbon Fiber/Vinyl Ester Composites Processed with Different Fiber Sizing Agents. Part III: Theoretical Aspects. — K. N. E. Verghese, N. S. Broyles, S. W. Case, J. J. Lesko, R. M. Davis, and J. S. Riffle; 17(3), 343-52 (2005).
Evaluation of Open-Graded Friction Course Mixtures Containing Cellulose Fibers and Styrene

Butadiene Rubber Polymer. — Hossam F. Hassan, Salim Al-Oraimi, and Ramzi Taha; 17(4), 416-22 (2005).

Porosity

Performance of Volcanic Ash Based Precast and In Situ Blended Cement Concretes in Marine Environment. — Khandaker M. Anwar Hossain; 17(6), 694-702 (2005).

Porous pavements

Evaluation of Open-Graded Friction Course Mixtures Containing Cellulose Fibers and Styrene Butadiene Rubber Polymer. — Hossam F. Hassan, Salim Al-Oraimi, and Ramzi Taha; 17(4), 416-22 (2005).

Portland cements

Dispersion of Short Fibers in Cement. — D. D. L. Chung; 17(4), 379-83 (2005).

Class F Fly-Ash-Amended Soils as Highway Base Materials. — Sunil Arora and Ahmet H. Aydilek; 17(6), 640-9 (2005).

Predictions

Prediction of 28 Days Compressive Strength of 53-Grade Cements Using Dimensional Analysis. — D. R. Phatak and N. P. Deshpande; 17(6), 733-5 (2005).

Preservation

Evaluation of Wrought Iron for Continued Service in Historic Bridges. — Robert Gordon and Robert Knopf; 17(4), 393-9 (2005).

Probabilistic methods

Application of Probabilistic Neural Networks for Prediction of Concrete Strength. — Doo Kie Kim, Jong Jae Lee, Jong Han Lee, and Seong Kyu Chang; 17(3), 353-62 (2005).

Probability

Sensitivity Analysis in Reliability-Based Lifetime Performance Prediction Using Simulation. — Jung S. Kong and Dan M. Frangopol; 17(3), 296-306 (2005).

Projectiles

Behavior of Hybrid-Fiber Engineered Cementitious Composites Subjected to Dynamic Tensile Loading and Projectile Impact. — Mohamed Maalej, Ser Tong Quek, and Jing Zhang; 17(2), 143-52 (2005).

Pultrusion

Pultruded Carbon Fiber/Vinyl Ester Composites Processed with Different Fiber Sizing Agents. Part I: Processing and Static Mechanical Performance. — N. S. Broyles, K. N. E. Verghese, R. M. Davis, J. J. Lesko, and J. S. Riffle; 17(3), 320-33 (2005).

Pultruded Carbon Fiber/Vinyl Ester Composites Processed with Different Fiber Sizing Agents. Part II: Enviro-Mechanical Durability. — K. N. E. Verghese, N. S. Broyles, J. J. Lesko, R. M. Davis, and J. S. Riffle; 17(3), 334-42 (2005).

Pultruded Carbon Fiber/Vinyl Ester Composites Processed with Different Fiber Sizing Agents. Part III: Theoretical Aspects. — K. N. E. Verghese, N. S. Broyles, S. W. Case, J. J. Lesko, R. M. Davis, and J. S. Riffle; 17(3), 343-52 (2005).

Quality control

Factors Affecting Binder Properties between Production and Construction. — Edith Arámbula Mercado, Amy Epps Martin, Eun Sug Park, Clifford Spiegelman, and Charles J. Glover; 17(1), 89-98 (2005).

Hot Mix Asphalt Mix Design Evaluation Using the Corelok Vacuum-Sealing Device. — M. Shane Buchanan and Thomas D. White; 17(2), 137-42 (2005).

Laboratory Evaluation of the Geogauge and Light Falling Weight Deflectometer as Construction Control Tools. — Khalid A. Alshibli, Murad Abu-Farsakh, and Ekrem Seyman; 17(5), 560-9 (2005).

Quantitative analysis

Quantitative Microstructural Investigation of Deteriorated Reinforced Concrete Bridge Deck. — Mohamed Elzafraney and Parviz Soroushian; 17(2), 159-67 (2005).

Radiography

Effect of Radial Inhomogeneity on Shear Properties of Asphalt Mixtures. — Haleh Azari, Richard McCuen, and Kevin Stuart; 17(1), 80-8 (2005).

Recycling

Testing and Evaluation of Used Automobile Tires and Recycled Tire-Derived Materials for Low-Cost Crash Cushions. — Mustaque Hossain and Daniel T. Nabors; 17(1), 36-44 (2005).

Application of Gray Relational Analysis to Evaluate HMA with Reclaimed Building Materials. — Der-Hsien Shen and Jia-Chong Du; 17(4), 400-6 (2005).

Properties of New and Recycled Clay Brick Aggregates for Use in Concrete. — Fouad M. Khalaf and Alan S. DeVenny; 17(4), 456-64 (2005).

Cast-Concrete Products Made with FBC Ash and Wet-Collected Coal-Ash. — Tarun R. Naik, Rudolph N. Kraus, Yoon-moon Chun, and Francois D. Botha; 17(6), 659-63 (2005).

Material Properties of High Volume Fly Ash Cement Paste Structural Fill. — Ata G. Doven and Ayse Pekrioglu; 17(6), 686-93 (2005).

Regression analysis

Neural Network Model for Asphalt Concrete Permeability. — Rafiqul Alam Tarefder, Luther White, and Musharraf Zaman; 17(1), 19-27 (2005).

Rehabilitation

Central Peeling Failure Behavior of Polymer Cement Mortar Retrofitting of Reinforced Concrete Beams. — Kouichi Satoh and Katsumi Kodama; 17(2), 126-36 (2005).

Behavior of Patch-Repaired Concrete Structural Elements under Increasing Static Loads to Flexural Failure. — O. Río, C. Andrade, D. Izquierdo, and C. Alonso; 17(2), 168-77 (2005).

Reinforcement

Reinforcing Steel Strains Measured by Bragg Grating Sensors. — Albin Kenel, Philipp Nellen, Andreas Frank, and Peter Marti; 17(4), 423-31 (2005).

Corrosion of Reinforcement in Relation to Presence of Defects at the Interface between Steel and Concrete. — T. A. Söylev and R. François; 17(4), 447-55 (2005).

Research

Challenges in Mechanics and Materials Research in the Twenty-First Century. — Ken P. Chong and Jorn Larsen-Basse; 17(3), 241-5 (2005).

Rheological properties

Asphalt Mixes Deformation Sensitivity to Change in Rheological Parameters. — Antoni Szydlo and Piotr Mackiewicz; 17(1), 1-9 (2005).

Rheology

Characterizing Rheology of Fresh Short Fiber Reinforced Cementitious Composite through Capillary Extrusion. — Xiangming Zhou and Zongjin Li; 17(1), 28-35 (2005).

Road construction

Factors Affecting Binder Properties between Production and Construction. — Edith Arámbula Mercado, Amy Epps Martin, Eun Sug Park, Clifford Spiegelman, and Charles J. Glover; 17(1), 89-98 (2005).

Rocks

Stabilization of Crushed Basaltic Rocks and Clay Mixtures Using Cementitious Additives. — Srijib Chakrabarti and Jayantha Kodikara; 17(4), 432-9 (2005).

Modeling of Moisture Diffusion in Crushed Basaltic Rock Stabilized with Cementitious Binders. — Jayantha Kodikara and Srijib Chakrabarti; 17(6), 703-10 (2005).

Roller compacted concrete

RCC/Soil-Cement: What's the Difference? — Ying-Kit Choi and Kenneth D. Hansen; 17(4), 371-8 (2005).

Seepage

Large-Scale Cutoff Wall Model Test Using Ethanol Bentonite Slurry. — M. Asada, A. Ishikawa, and S. Horiuchi; 17(6), 719-24 (2005).

Sensitivity analysis

Sensitivity Analysis in Reliability-Based Lifetime Performance Prediction Using Simulation. — Jung S. Kong and Dan M. Frangopol; 17(3), 296-306 (2005).

Sensors

Reinforcing Steel Strains Measured by Bragg Grating Sensors. — Albin Kenel, Philipp Nellen, Andreas Frank, and Peter Marti; 17(4), 423-31 (2005).

Service life

Evaluation of Wrought Iron for Continued Service in Historic Bridges. — Robert Gordon and Robert Knopf; 17(4), 393-9 (2005).

Service loads

Behavior of Patch-Repaired Concrete Structural Elements under Increasing Static Loads to Flexural Failure. — O. Río, C. Andrade, D. Izquierdo, and C. Alonso; 17(2), 168-77 (2005).

Shape

Unified Method to Quantify Aggregate Shape Angularity and Texture Using Fourier Analysis. — Linbing Wang, Xingran Wang, Louay Mohammad, and Chris Abadie; 17(5), 498-504 (2005).

Shape memory effect

Strain Self-Sensing Property and Strain Rate Dependent Constitutive Model of Austenitic Shape Memory Alloy: Experiment and Theory. — Hui Li, Chen-Xi Mao, and Jin-Ping Ou; 17(6), 676-85 (2005).

Shear properties

Effect of Radial Inhomogeneity on Shear Properties of Asphalt Mixtures. — Haleh Azari, Richard McCuen, and Kevin Stuart; 17(1), 80-8 (2005).

Shear stress

Anisotropic Properties of Asphalt Concrete: Characterization and Implications for Pavement Design and Analysis. — Linbing Wang, Laureano R. Hoyos, Jay Wang, George Voyiadjis, and Chris Abadie; 17(5), 535-43 (2005).

Shotcrete
Shotcrete Elasticity Revisited in the Framework of Continuum Micromechanics: From Submicron to Meter Level. — Christian Hellmich and Herbert Mang; 17(3), 246-56 (2005).

Shrinkage
Influence of Ultrafine Fly Ash on the Early Age Response and the Shrinkage Cracking Potential of Concrete. — Kolluru V. Subramaniam, Roman Gromotka, Surendra P. Shah, Karthik Obla, and Russell Hill; 17(1), 45-53 (2005).
Rapid-Hardening Concrete Mixes. — Husam Najm and Perumalsamy Balaguru; 17(2), 198-206 (2005).
Modeling of Moisture Diffusion in Crushed Basaltic Rock Stabilized with Cementitious Binders. — Jayantha Kodikara and Srijib Chakrabarti; 17(6), 703-10 (2005).

Simulation
Sensitivity Analysis in Reliability-Based Lifetime Performance Prediction Using Simulation. — Jung S. Kong and Dan M. Frangopol; 17(3), 296-306 (2005).
Model for Simulating Carbonation of Fly Ash Concrete. — J. Khunthongkeaw and S. Tangtermsirikul; 17(5), 570-8 (2005).

Size effect
Pultruded Carbon Fiber/Vinyl Ester Composites Processed with Different Fiber Sizing Agents. Part I: Processing and Static Mechanical Performance. — N. S. Broyles, K. N. E. Verghese, R. M. Davis, J. J. Lesko, and J. S. Riffle; 17(3), 320-33 (2005).
Pultruded Carbon Fiber/Vinyl Ester Composites Processed with Different Fiber Sizing Agents. Part II: Enviro-Mechanical Durability. — K. N. E. Verghese, N. S. Broyles, J. J. Lesko, R. M. Davis, and J. S. Riffle; 17(3), 334-42 (2005).
Pultruded Carbon Fiber/Vinyl Ester Composites Processed with Different Fiber Sizing Agents. Part III: Theoretical Aspects. — K. N. E. Verghese, N. S. Broyles, S. W. Case, J. J. Lesko, R. M. Davis, and J. S. Riffle; 17(3), 343-52 (2005).

Slag
Self-Consolidating Concrete for Use in Drilled Shaft Applications. — Donald Hodgson, III, Anton K. Schindler, Dan A. Brown, and Mary Stroup-Gardiner; 17(3), 363-9 (2005).
Ladle Furnace Slag in Construction. — Juan M. Manso, Milagros Losañez, Juan A. Polanco, and Javier J. Gonzalez; 17(5), 513-8 (2005).

Slip
Characterizing Rheology of Fresh Short Fiber Reinforced Cementitious Composite through Capillary Extrusion. — Xiangming Zhou and Zongjin Li; 17(1), 28-35 (2005).

Slurry walls
High-Density Bentonite Slurry for Seepage Barriers. — M. Asada and S. Horiuchi; 17(2), 178-87 (2005).
Large-Scale Cutoff Wall Model Test Using Ethanol Bentonite Slurry. — M. Asada, A. Ishikawa, and S. Horiuchi; 17(6), 719-24 (2005).

Soil cement
Ladle Furnace Slag in Construction. — Juan M. Manso, Milagros Losañez, Juan A. Polanco, and Javier J. Gonzalez; 17(5), 513-8 (2005).

Soil compaction
Geotechnical Characterization of Some Indian Fly Ashes. — Sarat Kumar Das and Yudhbir ; 17(5), 544-52 (2005).

Soil mixing
Large-Scale Cutoff Wall Model Test Using Ethanol Bentonite Slurry. — M. Asada, A. Ishikawa, and S. Horiuchi; 17(6), 719-24 (2005).

Soil stabilization
Class F Fly-Ash-Amended Soils as Highway Base Materials. — Sunil Arora and Ahmet H. Aydilek; 17(6), 640-9 (2005).
Material Properties of High Volume Fly Ash Cement Paste Structural Fill. — Ata G. Doven and Ayse Pekrioglu; 17(6), 686-93 (2005).

Solvents
High-Density Bentonite Slurry for Seepage Barriers. — M. Asada and S. Horiuchi; 17(2), 178-87 (2005).

Sorption
Effect of Water Sorption on Performance of Pultruded E-Glass/Vinylester Composites. — Wellington Chu and Vistasp M. Karbhari; 17(1), 63-71 (2005).
Procedure to Interpret Electrical Conductivity Measurements in Cover Concrete during Rewetting. — Farshad Rajabipour, Jason Weiss, John D. Shane, Thomas O. Mason, and Surendra P. Shah; 17(5), 586-94 (2005).

Stabilization
Enhanced Performance of Stabilized By-Product Gypsum. — Mingjiang Tao and Zhongjie Zhang; 17(6), 617-23 (2005).

Static loads
Testing and Evaluation of Used Automobile Tires and Recycled Tire-Derived Materials for Low-Cost Crash Cushions. — Mustaque Hossain and Daniel T. Nabors; 17(1), 36-44 (2005).

Statistical analysis
Monitoring of Origin and Evolution of Building Stones through Their Major Components. — A. C. Iñigo, F. J. López-Moro, S. Vicente-Tavera, and V. Rives; 17(4), 440-6 (2005).

Statistics
Effect of Radial Inhomogeneity on Shear Properties of Asphalt Mixtures. — Haleh Azari, Richard McCuen, and Kevin Stuart; 17(1), 80-8 (2005).

Steel
Effect of Alloy Composition on Atmospheric Corrosion of Weathering Steel. — Richard H. McCuen and Pedro Albrecht; 17(2), 117-25 (2005).
Corrosion of Reinforcement in Relation to Presence of Defects at the Interface between Steel and Concrete. — T. A. Söylev and R. François; 17(4), 447-55 (2005).
Flexural Fatigue-Life Distributions of Plain and Fibrous Concrete at Various Stress Levels. — Yaghoub Mohammadi and S. K. Kaushik; 17(6), 650-8 (2005).

Steel fibers
Failure Surface for Concrete under Multiaxial Load—a Unified Approach. — Puay Eng Constance Seow and Somsak Swaddiwudhipong; 17(2), 219-28 (2005).
Bending and Uniaxial Tensile Tests on Concrete Reinforced with Hybrid Steel Fibers. — L. G. Sorelli, A. Meda, and G. A. Plizzari; 17(5), 519-27 (2005).

Stiffness
Capacities of Dowel-Type Fastener Joints in Australian Pine. — Ian Smith, Greg Foliente, Minh Nguyen, and Michael Syme; 17(6), 664-75 (2005).

Stones
Monitoring of Origin and Evolution of Building Stones through Their Major Components. — A. C. Iñigo, F. J. López-Moro, S. Vicente-Tavera, and V. Rives; 17(4), 440-6 (2005).

Storage tanks
Factors Affecting Binder Properties between Production and Construction. — Edith Arámbula Mercado, Amy Epps Martin, Eun Sug Park, Clifford Spiegelman, and Charles J. Glover; 17(1), 89-98 (2005).

Strain
Strain Self-Sensing Property and Strain Rate Dependent Constitutive Model of Austenitic Shape Memory Alloy: Experiment and Theory. — Hui Li, Chen-Xi Mao, and Jin-Ping Ou; 17(6), 676-85 (2005).

Strain gages
Direct Measurement of Asphalt Binder Thermal Cracking. — Sang-Soo Kim; 17(6), 632-9 (2005).

Strain measurement
Reinforcing Steel Strains Measured by Bragg Grating Sensors. — Albin Kenel, Philipp Nellen, Andreas Frank, and Peter Marti; 17(4), 423-31 (2005).

Strain rate
Behavior of Hybrid-Fiber Engineered Cementitious Composites Subjected to Dynamic Tensile Loading and Projectile Impact. — Mohamed Maalej, Ser Tong Quek, and Jing Zhang; 17(2), 143-52 (2005).

Stress strain relations
Stress–Strain Model for Laterally Confined Concrete. — Weena P. Lokuge, J. G. Sanjayan, and Sujeeva Setunge; 17(6), 607-16 (2005).

Stripping
Effect of Jordanian Oil Shale Fly Ash on Asphalt Mixes. — Ibrahim Asi and Abdullah Assa'ad; 17(5), 553-9 (2005).

Structural materials
Sensitivity Analysis in Reliability-Based Lifetime Performance Prediction Using Simulation. — Jung S. Kong and Dan M. Frangopol; 17(3), 296-306 (2005).

Subgrades
Laboratory Evaluation of the Geogauge and Light Falling Weight Deflectometer as Construction Control Tools. — Khalid A. Alshibli, Murad Abu-Farsakh, and Ekrem Seyman; 17(5), 560-9 (2005).

Sulfates
Enhanced Performance of Stabilized By-Product Gypsum. — Mingjiang Tao and Zhongjie Zhang; 17(6), 617-23 (2005).

Temperature
Effect of Radial Inhomogeneity on Shear Properties of Asphalt Mixtures. — Haleh Azari, Richard McCuen, and Kevin Stuart; 17(1), 80-8 (2005).
Rapid-Hardening Concrete Mixes. — Husam Najm and Perumalsamy Balaguru; 17(2), 198-206 (2005).
Is Low-Temperature Creep of Asphalt Mastic Independent of Filler Shape and Mineralogy?—

Arguments from Multiscale Analysis. — Roman Lackner, Markus Spiegl, Ronald Blab, and Josef Eberhardsteiner; 17(5), 485-91 (2005).

Temperature effects

Factors Affecting Binder Properties between Production and Construction. — Edith Arámbula Mercado, Amy Epps Martin, Eun Sug Park, Clifford Spiegelman, and Charles J. Glover; 17(1), 89-98 (2005).

Assessment of Temperature Fluctuations in Asphalt Pavements Due to Thermal Environmental Conditions Using a Two-Dimensional, Transient Finite-Difference Approach. — C. Yavuzturk, K. Ksaibati, and A. D. Chiasson; 17(4), 465-75 (2005).

Temperature measurement

New Measurement of Thermal Properties of Superpave Asphalt Concrete. — Joseph Luca and Donath Mrawira; 17(1), 72-9 (2005).

Tensile loads

Behavior of Hybrid-Fiber Engineered Cementitious Composites Subjected to Dynamic Tensile Loading and Projectile Impact. — Mohamed Maalej, Ser Tong Quek, and Jing Zhang; 17(2), 143-52 (2005).

Tensile strength

Does Calcium Leaching Increase Ductility of Cementitious Materials? Evidence from Direct Tensile Tests. — F. H. Heukamp, F.-J. Ulm, and J. T. Germaine; 17(3), 307-12 (2005).

Bending and Uniaxial Tensile Tests on Concrete Reinforced with Hybrid Steel Fibers. — L. G. Sorelli, A. Meda, and G. A. Plizzari; 17(5), 519-27 (2005).

Direct Measurement of Asphalt Binder Thermal Cracking. — Sang-Soo Kim; 17(6), 632-9 (2005).

New Test for Determination of Masonry Tensile Bond Strength. — Fouad M. Khalaf; 17(6), 725-32 (2005).

Tensile stress

Anisotropic Properties of Asphalt Concrete: Characterization and Implications for Pavement Design and Analysis. — Linbing Wang, Laureano R. Hoyos, Jay Wang, George Voyiadjis, and Chris Abadie; 17(5), 535-43 (2005).

Tensions

New Test for Determination of Masonry Tensile Bond Strength. — Fouad M. Khalaf; 17(6), 725-32 (2005).

Texas

Factors Affecting Binder Properties between Production and Construction. — Edith Arámbula Mercado, Amy Epps Martin, Eun Sug Park, Clifford Spiegelman, and Charles J. Glover; 17(1), 89-98 (2005).

Theories

Pultruded Carbon Fiber/Vinyl Ester Composites Processed with Different Fiber Sizing Agents. Part III: Theoretical Aspects. — K. N. E. Verghese, N. S. Broyles, S. W. Case, J. J. Lesko, R. M. Davis, and J. S. Riffle; 17(3), 343-52 (2005).

Thermal diffusion

New Measurement of Thermal Properties of Superpave Asphalt Concrete. — Joseph Luca and Donath Mrawira; 17(1), 72-9 (2005).

Thermal factors

Thermal Degradation of Heterogeneous Concrete Materials. — K. Willam, I. Rhee, and Y. Xi; 17(3), 276-85 (2005).

Viscoelastoplastic Continuum Damage Model Application to Thermal Cracking of Asphalt Concrete. — Ghassan R. Chehab and Y. Richard Kim; 17(4), 384-92 (2005).

Thermal properties

New Measurement of Thermal Properties of Superpave Asphalt Concrete. — Joseph Luca and Donath Mrawira; 17(1), 72-9 (2005).

Thermal stresses

Direct Measurement of Asphalt Binder Thermal Cracking. — Sang-Soo Kim; 17(6), 632-9 (2005).

Thickness

Effect of Curing and Deterioration on Stress Wave Velocities in Concrete. — Andrew J. Boyd and Christopher C. Ferraro; 17(2), 153-8 (2005).

Three-dimensional models

Compression Behavior and Failure Mechanisms of Concrete Masonry Prisms. — Hasan Orhun Köksal, Cengiz Karakoç, and Hakki Yildirim; 17(1), 107-15 (2005).

Timber construction

Effects of Decay on the Cyclic Properties of Nailed Connections. — Scott M. Kent, Robert J. Leichti, David V. Rosowsky, and Jeffrey J. Morrell; 17(5), 579-85 (2005).

Capacities of Dowel-Type Fastener Joints in Australian Pine. — Ian Smith, Greg Foliente, Minh Nguyen, and Michael Syme; 17(6), 664-75 (2005).

Tires

Testing and Evaluation of Used Automobile Tires and Recycled Tire-Derived Materials for Low-Cost Crash Cushions. — Mustaque Hossain and Daniel T. Nabors; 17(1), 36-44 (2005).

Transfer functions

Development of an Analytical Method for Simultaneous Heat and Moisture Transfer in Building Materials Utilizing Transfer Function Method. — Menghao Qin and Rafik Belarbi; 17(5), 492-7 (2005).

Triaxial stress

Unified Yield Criterion for Masonry and Concrete in Multiaxial Stress States. — L. Bortolotti, S. Carta, and D. Cireddu; 17(1), 54-62 (2005).

Tunneling

Shotcrete Elasticity Revisited in the Framework of Continuum Micromechanics: From Submicron to Meter Level. — Christian Hellmich and Herbert Mang; 17(3), 246-56 (2005).

Ultimate loads

Behavior of Patch-Repaired Concrete Structural Elements under Increasing Static Loads to Flexural Failure. — O. Río, C. Andrade, D. Izquierdo, and C. Alonso; 17(2), 168-77 (2005).

Variance analysis

Application of Gray Relational Analysis to Evaluate HMA with Reclaimed Building Materials. — Der-Hsien Shen and Jia-Chong Du; 17(4), 400-6 (2005).

Viscoelasticity

Asphalt Mixes Deformation Sensitivity to Change in Rheological Parameters. — Antoni Szydlo and Piotr Mackiewicz; 17(1), 1-9 (2005).

Phenomenological Model for Monotonic and Cyclic Behavior of Pure Bitumen. — E. A. Ossa, V. S. Deshpande, and D. Cebon; 17(2), 188-97 (2005).

Viscoelastoplastic Continuum Damage Model Application to Thermal Cracking of Asphalt Concrete. — Ghassan R. Chehab and Y. Richard Kim; 17(4), 384-92 (2005).

Damage-Induced Modeling of Asphalt Mixtures through Computational Micromechanics and Cohesive Zone Fracture. — Yong-Rak Kim, D. H. Allen, and D. N. Little; 17(5), 477-84 (2005).

Viscoelastic–Viscoplastic Model with Damage for Asphalt Concrete. — Jacob Uzan; 17(5), 528-34 (2005).

Viscoplasticity

Viscoelastoplastic Continuum Damage Model Application to Thermal Cracking of Asphalt Concrete. — Ghassan R. Chehab and Y. Richard Kim; 17(4), 384-92 (2005).

Viscoelastic–Viscoplastic Model with Damage for Asphalt Concrete. — Jacob Uzan; 17(5), 528-34 (2005).

Volcanic ash

Performance of Volcanic Ash Based Precast and In Situ Blended Cement Concretes in Marine Environment. — Khandaker M. Anwar Hossain; 17(6), 694-702 (2005).

Waste management

Ladle Furnace Slag in Construction. — Juan M. Manso, Milagros Losañez, Juan A. Polanco, and Javier J. Gonzalez; 17(5), 513-8 (2005).

Waste sites

Large-Scale Cutoff Wall Model Test Using Ethanol Bentonite Slurry. — M. Asada, A. Ishikawa, and S. Horiuchi; 17(6), 719-24 (2005).

Water

Effect of Water Sorption on Performance of Pultruded E-Glass/Vinylester Composites. — Wellington Chu and Vistasp M. Karbhari; 17(1), 63-71 (2005).

Weathering

Effect of Alloy Composition on Atmospheric Corrosion of Weathering Steel. — Richard H. McCuen and Pedro Albrecht; 17(2), 117-25 (2005).

Monitoring of Origin and Evolution of Building Stones through Their Major Components. — A. C. Iñigo, F. J. López-Moro, S. Vicente-Tavera, and V. Rives; 17(4), 440-6 (2005).

Weight

Laboratory Evaluation of the Geogauge and Light Falling Weight Deflectometer as Construction Control Tools. — Khalid A. Alshibli, Murad Abu-Farsakh, and Ekrem Seyman; 17(5), 560-9 (2005).

Wood

Capacities of Dowel-Type Fastener Joints in Australian Pine. — Ian Smith, Greg Foliente, Minh Nguyen, and Michael Syme; 17(6), 664-75 (2005).

Wood structures

Effects of Decay on the Cyclic Properties of Nailed Connections. — Scott M. Kent, Robert J. Leichti, David V. Rosowsky, and Jeffrey J. Morrell; 17(5), 579-85 (2005).

Author Index

Abadie, Chris
Unified Method to Quantify Aggregate Shape Angularity and Texture Using Fourier Analysis. — Linbing Wang, Xingran Wang, Louay Mohammad, and Chris Abadie; 17(5), 498-504 (2005).
Anisotropic Properties of Asphalt Concrete: Characterization and Implications for Pavement Design and Analysis. — Linbing Wang, Laureano R. Hoyos, Jay Wang, George Voyiadjis, and Chris Abadie; 17(5), 535-43 (2005).

Abu-Farsakh, Murad
Laboratory Evaluation of the Geogauge and Light Falling Weight Deflectometer as Construction Control Tools. — Khalid A. Alshibli, Murad Abu-Farsakh, and Ekrem Seyman; 17(5), 560-9 (2005).

Albrecht, Pedro
Effect of Alloy Composition on Atmospheric Corrosion of Weathering Steel. — Richard H. McCuen and Pedro Albrecht; 17(2), 117-25 (2005).

Allen, D. H.
Damage-Induced Modeling of Asphalt Mixtures through Computational Micromechanics and Cohesive Zone Fracture. — Yong-Rak Kim, D. H. Allen, and D. N. Little; 17(5), 477-84 (2005).

Alonso, C.
Behavior of Patch-Repaired Concrete Structural Elements under Increasing Static Loads to Flexural Failure. — O. Río, C. Andrade, D. Izquierdo, and C. Alonso; 17(2), 168-77 (2005).

Al-Oraimi, Salim
Evaluation of Open-Graded Friction Course Mixtures Containing Cellulose Fibers and Styrene Butadiene Rubber Polymer. — Hossam F. Hassan, Salim Al-Oraimi, and Ramzi Taha; 17(4), 416-22 (2005).

Alshibli, Khalid A.
Laboratory Evaluation of the Geogauge and Light Falling Weight Deflectometer as Construction Control Tools. — Khalid A. Alshibli, Murad Abu-Farsakh, and Ekrem Seyman; 17(5), 560-9 (2005).

Andrade, C.
Behavior of Patch-Repaired Concrete Structural Elements under Increasing Static Loads to Flexural Failure. — O. Río, C. Andrade, D. Izquierdo, and C. Alonso; 17(2), 168-77 (2005).

Arora, Sunil
Class F Fly-Ash-Amended Soils as Highway Base Materials. — Sunil Arora and Ahmet H. Aydilek; 17(6), 640-9 (2005).

Asada, M.
High-Density Bentonite Slurry for Seepage Barriers. — M. Asada and S. Horiuchi; 17(2), 178-87 (2005).
Large-Scale Cutoff Wall Model Test Using Ethanol Bentonite Slurry. — M. Asada, A. Ishikawa, and S. Horiuchi; 17(6), 719-24 (2005).

Asi, Ibrahim
Effect of Jordanian Oil Shale Fly Ash on Asphalt Mixes. — Ibrahim Asi and Abdullah Assa'ad; 17(5), 553-9 (2005).

Assa'ad, Abdullah
Effect of Jordanian Oil Shale Fly Ash on Asphalt Mixes. — Ibrahim Asi and Abdullah Assa'ad; 17(5), 553-9 (2005).

Aydilek, Ahmet H.
Class F Fly-Ash-Amended Soils as Highway Base Materials. — Sunil Arora and Ahmet H. Aydilek; 17(6), 640-9 (2005).

Azari, Haleh
Effect of Radial Inhomogeneity on Shear Properties of Asphalt Mixtures. — Haleh Azari, Richard McCuen, and Kevin Stuart; 17(1), 80-8 (2005).

Balaguru, Perumalsamy
Rapid-Hardening Concrete Mixes. — Husam Najm and Perumalsamy Balaguru; 17(2), 198-206 (2005).

Bazant, Zdenek P.
Model-Based Simulation of Durability of Materials and Structures. — Yunping Xi, Zdenek P. Bazant, Gilles Pijaudier-Cabot, and Zdenek Bittnar; 17(3), 239-40 (2005).

Belarbi, Rafik
Development of an Analytical Method for Simultaneous Heat and Moisture Transfer in Building Materials Utilizing Transfer Function Method. — Menghao Qin and Rafik Belarbi; 17(5), 492-7 (2005).

Bittnar, Zdenek
Model-Based Simulation of Durability of Materials and Structures. — Yunping Xi, Zdenek P. Bazant, Gilles Pijaudier-Cabot, and Zdenek Bittnar; 17(3), 239-40 (2005).

Blab, Ronald
Is Low-Temperature Creep of Asphalt Mastic Independent of Filler Shape and Mineralogy?—Arguments from Multiscale Analysis. — Roman Lackner, Markus Spiegl, Ronald Blab, and Josef Eberhardsteiner; 17(5), 485-91 (2005).

Bortolotti, L.
Unified Yield Criterion for Masonry and Concrete in Multiaxial Stress States. — L. Bortolotti, S. Carta, and D. Cireddu; 17(1), 54-62 (2005).

Botha, Francois D.
Cast-Concrete Products Made with FBC Ash and Wet-Collected Coal-Ash. — Tarun R. Naik, Rudolph N. Kraus, Yoon-moon Chun, and Francois D. Botha; 17(6), 659-63 (2005).

Boyd, Andrew J.
Effect of Curing and Deterioration on Stress Wave Velocities in Concrete. — Andrew J. Boyd and Christopher C. Ferraro; 17(2), 153-8 (2005).

Branthaver, Jan F.
Impact of Lime Modification of Asphalt and Freeze–Thaw Cycling on the Asphalt–Aggregate Interaction and Moisture Resistance to Moisture Damage. — Shin-Che Huang, Raymond E. Robertson, Jan F. Branthaver, and J. Claine Petersen; 17(6), 711-8 (2005).

Brown, Dan A.
Self-Consolidating Concrete for Use in Drilled Shaft Applications. — Donald Hodgson, III, Anton K. Schindler, Dan A. Brown, and Mary Stroup-Gardiner; 17(3), 363-9 (2005).

Broyles, N. S.
Pultruded Carbon Fiber/Vinyl Ester Composites Processed with Different Fiber Sizing Agents. Part I: Processing and Static Mechanical Performance. — N. S. Broyles, K. N. E. Verghese, R. M. Davis, J. J. Lesko, and J. S. Riffle; 17(3), 320-33 (2005).
Pultruded Carbon Fiber/Vinyl Ester Composites Processed with Different Fiber Sizing Agents. Part II: Enviro-Mechanical Durability. — K. N. E. Verghese, N. S. Broyles, J. J. Lesko, R. M. Davis, and J. S. Riffle; 17(3), 334-42 (2005).
Pultruded Carbon Fiber/Vinyl Ester Composites Processed with Different Fiber Sizing Agents. Part III: Theoretical Aspects. — K. N. E. Verghese, N. S. Broyles, S. W. Case, J. J. Lesko, R. M. Davis, and J. S. Riffle; 17(3), 343-52 (2005).

Buchanan, M. Shane
Hot Mix Asphalt Mix Design Evaluation Using the Corelok Vacuum-Sealing Device. — M. Shane Buchanan and Thomas D. White; 17(2), 137-42 (2005).

Carta, S.
Unified Yield Criterion for Masonry and Concrete in Multiaxial Stress States. — L. Bortolotti, S. Carta, and D. Cireddu; 17(1), 54-62 (2005).

Case, S. W.
Pultruded Carbon Fiber/Vinyl Ester Composites Processed with Different Fiber Sizing Agents. Part III: Theoretical Aspects. — K. N. E. Verghese, N. S. Broyles, S. W. Case, J. J. Lesko, R. M. Davis, and J. S. Riffle; 17(3), 343-52 (2005).

Cebon, D.
Fracture Tests on Bitumen Films. — J. A. F. Harvey and D. Cebon; 17(1), 99-106 (2005).
Phenomenological Model for Monotonic and Cyclic Behavior of Pure Bitumen. — E. A. Ossa, V. S. Deshpande, and D. Cebon; 17(2), 188-97 (2005).

Chakrabarti, Srijib
Stabilization of Crushed Basaltic Rocks and Clay Mixtures Using Cementitious Additives. — Srijib Chakrabarti and Jayantha Kodikara; 17(4), 432-9 (2005).
Modeling of Moisture Diffusion in Crushed Basaltic Rock Stabilized with Cementitious Binders. — Jayantha Kodikara and Srijib Chakrabarti; 17(6), 703-10 (2005).

Chang, Seong Kyu
Application of Probabilistic Neural Networks for Prediction of Concrete Strength. — Doo Kie Kim, Jong Jae Lee, Jong Han Lee, and Seong Kyu Chang; 17(3), 353-62 (2005).

Chau, C. K.
Accelerated Assessment and Fuzzy Evaluation of Concrete Durability. — Zongjin Li, C. K. Chau, and Xiangming Zhou; 17(3), 257-63 (2005).

Chehab, Ghassan R.
Viscoelastoplastic Continuum Damage Model Application to Thermal Cracking of Asphalt Concrete. — Ghassan R. Chehab and Y. Richard Kim; 17(4), 384-92 (2005).

Chiasson, A. D.
Assessment of Temperature Fluctuations in Asphalt Pavements Due to Thermal Environmental Conditions Using a Two-Dimensional, Transient Finite-Difference Approach. — C. Yavuzturk, K. Ksaibati, and A. D. Chiasson; 17(4), 465-75 (2005).

Choi, Ying-Kit
RCC/Soil-Cement: What's the Difference? — Ying-Kit Choi and Kenneth D. Hansen; 17(4), 371-8 (2005).

Chong, Ken P.
Challenges in Mechanics and Materials Research in the Twenty-First Century. — Ken P. Chong and Jorn Larsen-Basse; 17(3), 241-5 (2005).

Chu, Wellington
Effect of Water Sorption on Performance of Pultruded E-Glass/Vinylester Composites. — Wellington Chu and Vistasp M. Karbhari; 17(1), 63-71 (2005).

Chun, Yoon-moon
Cast-Concrete Products Made with FBC Ash and Wet-Collected Coal-Ash. — Tarun R. Naik, Rudolph N. Kraus, Yoon-moon Chun, and Francois D. Botha; 17(6), 659-63 (2005).

Chung, D. D. L.
Dispersion of Short Fibers in Cement. — D. D. L. Chung; 17(4), 379-83 (2005).
Discussion of "Resistance Changes during Compression of Carbon Fiber Cement Composites" by Farhad Reza, Gordon B. Batson, Jerry A. Yamamuro, and Jong S. Lee. — D. D. L. Chung; 17(5), 605 (2005).

Cireddu, D.
Unified Yield Criterion for Masonry and Concrete in Multiaxial Stress States. — L. Bortolotti, S. Carta, and D. Cireddu; 17(1), 54-62 (2005).

Claine Petersen, J.
Impact of Lime Modification of Asphalt and Freeze–Thaw Cycling on the Asphalt–Aggregate Interaction and Moisture Resistance to Moisture Damage. — Shin-Che Huang, Raymond E. Robertson, Jan F. Branthaver, and J. Claine Petersen; 17(6), 711-8 (2005).

Das, Sarat Kumar
Geotechnical Characterization of Some Indian Fly Ashes. — Sarat Kumar Das and Yudhbir ; 17(5), 544-52 (2005).

Davis, R. M.
Pultruded Carbon Fiber/Vinyl Ester Composites Processed with Different Fiber Sizing Agents. Part I: Processing and Static Mechanical Performance. — N. S. Broyles, K. N. E. Verghese, R. M. Davis, J. J. Lesko, and J. S. Riffle; 17(3), 320-33 (2005).
Pultruded Carbon Fiber/Vinyl Ester Composites Processed with Different Fiber Sizing Agents. Part II: Enviro-Mechanical Durability. — K. N. E. Verghese, N. S. Broyles, J. J. Lesko, R. M. Davis, and J. S. Riffle; 17(3), 334-42 (2005).
Pultruded Carbon Fiber/Vinyl Ester Composites Processed with Different Fiber Sizing Agents. Part III: Theoretical Aspects. — K. N. E. Verghese, N. S. Broyles, S. W. Case, J. J. Lesko, R. M. Davis, and J. S. Riffle; 17(3), 343-52 (2005).

Deshpande, N. P.
Prediction of 28 Days Compressive Strength of 53-Grade Cements Using Dimensional Analysis. — D. R. Phatak and N. P. Deshpande; 17(6), 733-5 (T) (2005).

Deshpande, V. S.
Phenomenological Model for Monotonic and Cyclic Behavior of Pure Bitumen. — E. A. Ossa, V. S. Deshpande, and D. Cebon; 17(2), 188-97 (2005).

DeVenny, Alan S.
Properties of New and Recycled Clay Brick Aggregates for Use in Concrete. — Fouad M. Khalaf and Alan S. DeVenny; 17(4), 456-64 (2005).

Doven, Ata G.
Material Properties of High Volume Fly Ash Cement Paste Structural Fill. — Ata G. Doven and Ayse Pekrioglu; 17(6), 686-93 (2005).

Du, Jia-Chong
Application of Gray Relational Analysis to Evaluate HMA with Reclaimed Building Materials. — Der-Hsien Shen and Jia-Chong Du; 17(4), 400-6 (2005).

Eberhardsteiner, Josef
Is Low-Temperature Creep of Asphalt Mastic Independent of Filler Shape and Mineralogy?—Arguments from Multiscale Analysis. — Roman Lackner, Markus Spiegl, Ronald Blab, and Josef Eberhardsteiner; 17(5), 485-91 (2005).

Elzafraney, Mohamed
Quantitative Microstructural Investigation of Deteriorated Reinforced Concrete Bridge Deck. — Mohamed Elzafraney and Parviz Soroushian; 17(2), 159-67 (2005).

Fantilli, Alessandro P.
Effect of Bar Diameter on the Behavior of Lightly Reinforced Concrete Beams. — Alessandro P. Fantilli, Daniele Ferretti, and Gianpaolo Rosati; 17(1), 10-8 (2005).

Feng, Maria Q.
Closure to "Application of Neural Networks for Estimation of Concrete Strength" by Jong-In Kim, Doo Kie Kim, Maria Q. Feng, and Frank Yazdani. — Jong-In Kim, Doo Kie Kim, Maria Q. Feng, and Frank Yazdani; 17(6), 738-9 (2005).

Ferraro, Christopher C.
Effect of Curing and Deterioration on Stress Wave Velocities in Concrete. — Andrew J. Boyd and Christopher C. Ferraro; 17(2), 153-8 (2005).

Ferretti, Daniele
Effect of Bar Diameter on the Behavior of Lightly Reinforced Concrete Beams. — Alessandro P. Fantilli, Daniele Ferretti, and Gianpaolo Rosati; 17(1), 10-8 (2005).

Foliente, Greg
Capacities of Dowel-Type Fastener Joints in Australian Pine. — Ian Smith, Greg Foliente, Minh Nguyen, and Michael Syme; 17(6), 664-75 (2005).

François, R.
Corrosion of Reinforcement in Relation to Presence of Defects at the Interface between Steel and Concrete. — T. A. Söylev and R. François; 17(4), 447-55 (2005).

Frangopol, Dan M.
Sensitivity Analysis in Reliability-Based Lifetime Performance Prediction Using Simulation. — Jung S. Kong and Dan M. Frangopol; 17(3), 296-306 (2005).

Frank, Andreas
Reinforcing Steel Strains Measured by Bragg Grating Sensors. — Albin Kenel, Philipp Nellen, Andreas Frank, and Peter Marti; 17(4), 423-31 (2005).

Germaine, J. T.
Does Calcium Leaching Increase Ductility of Cementitious Materials? Evidence from Direct Tensile Tests. — F. H. Heukamp, F.-J. Ulm, and J. T. Germaine; 17(3), 307-12 (2005).

Glover, Charles J.
Factors Affecting Binder Properties between Production and Construction. — Edith Arámbula Mercado, Amy Epps Martin, Eun Sug Park, Clifford Spiegelman, and Charles J. Glover; 17(1), 89-98 (2005).

Gonzalez, Javier J.
Ladle Furnace Slag in Construction. — Juan M. Manso, Milagros Losañez, Juan A. Polanco, and Javier J. Gonzalez; 17(5), 513-8 (2005).

Gordon, Robert
Evaluation of Wrought Iron for Continued Service in Historic Bridges. — Robert Gordon and Robert Knopf; 17(4), 393-9 (2005).

Gromotka, Roman
Influence of Ultrafine Fly Ash on the Early Age Response and the Shrinkage Cracking Potential of Concrete. — Kolluru V. Subramaniam, Roman Gromotka, Surendra P. Shah, Karthik Obla, and Russell Hill; 17(1), 45-53 (2005).

Hansen, Kenneth D.
RCC/Soil-Cement: What's the Difference? — Ying-Kit Choi and Kenneth D. Hansen; 17(4), 371-8 (2005).

Harvey, J. A. F.
Fracture Tests on Bitumen Films. — J. A. F. Harvey and D. Cebon; 17(1), 99-106 (2005).

Hassan, Hossam F.
Evaluation of Open-Graded Friction Course Mixtures Containing Cellulose Fibers and Styrene Butadiene Rubber Polymer. — Hossam F. Hassan, Salim Al-Oraimi, and Ramzi Taha; 17(4), 416-22 (2005).

Hellmich, Christian
Shotcrete Elasticity Revisited in the Framework of Continuum Micromechanics: From Submicron to Meter Level. — Christian Hellmich and Herbert Mang; 17(3), 246-56 (2005).

Heukamp, F. H.
Does Calcium Leaching Increase Ductility of Cementitious Materials? Evidence from Direct Tensile Tests. — F. H. Heukamp, F.-J. Ulm, and J. T. Germaine; 17(3), 307-12 (2005).

Hill, Russell
Influence of Ultrafine Fly Ash on the Early Age Response and the Shrinkage Cracking Potential of Concrete. — Kolluru V. Subramaniam, Roman Gromotka, Surendra P. Shah, Karthik Obla, and Russell Hill; 17(1), 45-53 (2005).

Hodgson, Donald, III
Self-Consolidating Concrete for Use in Drilled Shaft Applications. — Donald Hodgson, III, Anton K. Schindler, Dan A. Brown, and Mary Stroup-Gardiner; 17(3), 363-9 (2005).

Horiuchi, S.
High-Density Bentonite Slurry for Seepage Barriers. — M. Asada and S. Horiuchi; 17(2), 178-87 (2005).
Large-Scale Cutoff Wall Model Test Using Ethanol Bentonite Slurry. — M. Asada, A. Ishikawa, and S. Horiuchi; 17(6), 719-24 (2005).

Hossain, Khandaker M. Anwar
Performance of Volcanic Ash Based Precast and In Situ Blended Cement Concretes in Marine Environment. — Khandaker M. Anwar Hossain; 17(6), 694-702 (2005).

Hossain, Mustaque
Testing and Evaluation of Used Automobile Tires and Recycled Tire-Derived Materials for Low-Cost Crash Cushions. — Mustaque Hossain and Daniel T. Nabors; 17(1), 36-44 (2005).

Hoyos, Laureano R.
Anisotropic Properties of Asphalt Concrete: Characterization and Implications for Pavement Design and Analysis. — Linbing Wang, Laureano R. Hoyos, Jay Wang, George Voyiadjis, and Chris Abadie; 17(5), 535-43 (2005).

Huang, Shin-Che
Impact of Lime Modification of Asphalt and Freeze–Thaw Cycling on the Asphalt–Aggregate Interaction and Moisture Resistance to Moisture Damage. — Shin-Che Huang, Raymond E. Robertson, Jan F. Branthaver, and J. Claine Petersen; 17(6), 711-8 (2005).

Iñigo, A. C.
Monitoring of Origin and Evolution of Building Stones through Their Major Components. — A. C. Iñigo, F. J. López-Moro, S. Vicente-Tavera, and V. Rives; 17(4), 440-6 (2005).

Ishikawa, A.
Large-Scale Cutoff Wall Model Test Using Ethanol Bentonite Slurry. — M. Asada, A. Ishikawa, and S. Horiuchi; 17(6), 719-24 (2005).

Izquierdo, D.
Behavior of Patch-Repaired Concrete Structural Elements under Increasing Static Loads to Flexural Failure. — O. Río, C. Andrade, D. Izquierdo, and C. Alonso; 17(2), 168-77 (2005).

Jagadish, K. S.
Brick-Mortar Bond and Masonry Compressive Strength. — G. Sarangapani, B. V. Venkatarama Reddy, and K. S. Jagadish; 17(2), 229-37 (2005).

Jain, Ashu
Discussion of "Application of Neural Networks for Estimation of Concrete Strength" by Jong-In Kim, Doo Kie Kim, Maria Q. Feng, and Frank Yazdani. — Ashu Jain, Sudhir Misra, and Sanjeev Kumar Jha; 17(6), 736-8 (2005).

Jha, Sanjeev Kumar
Discussion of "Application of Neural Networks for Estimation of Concrete Strength" by Jong-In Kim, Doo Kie Kim, Maria Q. Feng, and Frank Yazdani. — Ashu Jain, Sudhir Misra, and Sanjeev Kumar Jha; 17(6), 736-8 (2005).

Karakoç, Cengiz
Compression Behavior and Failure Mechanisms of Concrete Masonry Prisms. — Hasan Orhun Köksal, Cengiz Karakoç, and Hakki Yildirim; 17(1), 107-15 (2005).

Karbhari, Vistasp M.
Effect of Water Sorption on Performance of Pultruded E-Glass/Vinylester Composites. — Wellington Chu and Vistasp M. Karbhari; 17(1), 63-71 (2005).

Kaushik, S. K.
Flexural Fatigue-Life Distributions of Plain and Fibrous Concrete at Various Stress Levels. — Yaghoub Mohammadi and S. K. Kaushik; 17(6), 650-8 (2005).

Kenel, Albin
Reinforcing Steel Strains Measured by Bragg Grating Sensors. — Albin Kenel, Philipp Nellen, Andreas Frank, and Peter Marti; 17(4), 423-31 (2005).

Kent, Scott M.
Effects of Decay on the Cyclic Properties of Nailed Connections. — Scott M. Kent, Robert J. Leichti, David V. Rosowsky, and Jeffrey J. Morrell; 17(5), 579-85 (2005).

Khalaf, Fouad M.
Properties of New and Recycled Clay Brick Aggregates for Use in Concrete. — Fouad M. Khalaf and Alan S. DeVenny; 17(4), 456-64 (2005).
New Test for Determination of Masonry Tensile Bond Strength. — Fouad M. Khalaf; 17(6), 725-32 (2005).

Khunthongkeaw, J.
Model for Simulating Carbonation of Fly Ash Concrete. — J. Khunthongkeaw and S. Tangtermsirikul; 17(5), 570-8 (2005).

Kim, Doo Kie
Application of Probabilistic Neural Networks for Prediction of Concrete Strength. — Doo Kie Kim, Jong Jae Lee, Jong Han Lee, and Seong Kyu Chang; 17(3), 353-62 (2005).
Closure to "Application of Neural Networks for Estimation of Concrete Strength" by Jong-In Kim, Doo Kie Kim, Maria Q. Feng, and Frank Yazdani. — Jong-In Kim, Doo Kie Kim, Maria Q. Feng, and Frank Yazdani; 17(6), 738-9 (2005).

Kim, Jong-In
Closure to "Application of Neural Networks for Estimation of Concrete Strength" by Jong-In Kim, Doo Kie Kim, Maria Q. Feng, and Frank Yazdani. — Jong-In Kim, Doo Kie Kim, Maria Q. Feng, and Frank Yazdani; 17(6), 738-9 (2005).

Kim, Sang-Soo
Direct Measurement of Asphalt Binder Thermal Cracking. — Sang-Soo Kim; 17(6), 632-9 (2005).

Kim, Y. Richard
Viscoelastoplastic Continuum Damage Model Application to Thermal Cracking of Asphalt Concrete. — Ghassan R. Chehab and Y. Richard Kim; 17(4), 384-92 (2005).

Kim, Yong-Rak
Damage-Induced Modeling of Asphalt Mixtures through Computational Micromechanics and Cohesive Zone Fracture. — Yong-Rak Kim, D. H. Allen, and D. N. Little; 17(5), 477-84 (2005).

Knopf, Robert
Evaluation of Wrought Iron for Continued Service in Historic Bridges. — Robert Gordon and Robert Knopf; 17(4), 393-9 (2005).

Kodama, Katsumi
Central Peeling Failure Behavior of Polymer Cement Mortar Retrofitting of Reinforced Concrete Beams. — Kouichi Satoh and Katsumi Kodama; 17(2), 126-36 (2005).

Kodikara, Jayantha
Stabilization of Crushed Basaltic Rocks and Clay Mixtures Using Cementitious Additives. — Srijib Chakrabarti and Jayantha Kodikara; 17(4), 432-9 (2005).
Modeling of Moisture Diffusion in Crushed Basaltic Rock Stabilized with Cementitious Binders. — Jayantha Kodikara and Srijib Chakrabarti; 17(6), 703-10 (2005).

Köksal, Hasan Orhun
Compression Behavior and Failure Mechanisms of Concrete Masonry Prisms. — Hasan Orhun Köksal, Cengiz Karakoç, and Hakki Yildirim; 17(1), 107-15 (2005).

Kong, Jung S.
Sensitivity Analysis in Reliability-Based Lifetime Performance Prediction Using Simulation. — Jung S. Kong and Dan M. Frangopol; 17(3), 296-306 (2005).

Kraus, Rudolph N.
Cast-Concrete Products Made with FBC Ash and Wet-Collected Coal-Ash. — Tarun R. Naik, Rudolph N. Kraus, Yoon-moon Chun, and Francois D. Botha; 17(6), 659-63 (2005).

Ksaibati, K.
Assessment of Temperature Fluctuations in Asphalt Pavements Due to Thermal Environmental Conditions Using a Two-Dimensional, Transient Finite-Difference Approach. — C. Yavuzturk, K. Ksaibati, and A. D. Chiasson; 17(4), 465-75 (2005).

Lackner, Roman
Is Low-Temperature Creep of Asphalt Mastic Independent of Filler Shape and Mineralogy?— Arguments from Multiscale Analysis. — Roman Lackner, Markus Spiegl, Ronald Blab, and Josef Eberhardsteiner; 17(5), 485-91 (2005).

Larsen-Basse, Jorn
Challenges in Mechanics and Materials Research in the Twenty-First Century. — Ken P. Chong and Jorn Larsen-Basse; 17(3), 241-5 (2005).

Lawler, John S.
Microfiber and Macrofiber Hybrid Fiber-Reinforced Concrete. — John S. Lawler, Davide Zampini, and Surendra P. Shah; 17(5), 595-604 (2005).

Lee, Jong Han
Application of Probabilistic Neural Networks for Prediction of Concrete Strength. — Doo Kie Kim, Jong Jae Lee, Jong Han Lee, and Seong Kyu Chang; 17(3), 353-62 (2005).

Lee, Jong Jae
Application of Probabilistic Neural Networks for Prediction of Concrete Strength. — Doo Kie Kim, Jong Jae Lee, Jong Han Lee, and Seong Kyu Chang; 17(3), 353-62 (2005).

Leichti, Robert J.
Effects of Decay on the Cyclic Properties of Nailed Connections. — Scott M. Kent, Robert J. Leichti, David V. Rosowsky, and Jeffrey J. Morrell; 17(5), 579-85 (2005).

Lesko, J. J.
Pultruded Carbon Fiber/Vinyl Ester Composites Processed with Different Fiber Sizing Agents. Part I: Processing and Static Mechanical Performance. — N. S. Broyles, K. N. E. Verghese, R. M. Davis, J. J. Lesko, and J. S. Riffle; 17(3), 320-33 (2005).
Pultruded Carbon Fiber/Vinyl Ester Composites Processed with Different Fiber Sizing Agents. Part II: Enviro-Mechanical Durability. — K. N. E. Verghese, N. S. Broyles, J. J. Lesko, R. M. Davis, and J. S. Riffle; 17(3), 334-42 (2005).
Pultruded Carbon Fiber/Vinyl Ester Composites Processed with Different Fiber Sizing Agents. Part III: Theoretical Aspects. — K. N. E. Verghese, N. S. Broyles, S. W. Case, J. J. Lesko, R. M. Davis, and J. S. Riffle; 17(3), 343-52 (2005).

Li, Hui
Strain Self-Sensing Property and Strain Rate Dependent Constitutive Model of Austenitic Shape Memory Alloy: Experiment and Theory. — Hui Li, Chen-Xi Mao, and Jin-Ping Ou; 17(6), 676-85 (2005).

Li, Yongqi
Two-Step Approach to Prediction of Asphalt Concrete Modulus from Two-Phase Micromechanical Models. — Yongqi Li and John B. Metcalf; 17(4), 407-15 (2005).

Li, Zongjin
Characterizing Rheology of Fresh Short Fiber Reinforced Cementitious Composite through Capillary Extrusion. — Xiangming Zhou and Zongjin Li; 17(1), 28-35 (2005).
Accelerated Assessment and Fuzzy Evaluation of Concrete Durability. — Zongjin Li, C. K. Chau, and Xiangming Zhou; 17(3), 257-63 (2005).
Short Fiber Reinforced Geopolymer Composites Manufactured by Extrusion. — Zongjin Li, Yunsheng Zhang, and Xiangming Zhou; 17(6), 624-31 (2005).

Little, D. N.
Damage-Induced Modeling of Asphalt Mixtures through Computational Micromechanics and Cohesive Zone Fracture. — Yong-Rak Kim, D. H. Allen, and D. N. Little; 17(5), 477-84 (2005).

Little, Dallas N.
Unique Effects of Hydrated Lime Filler on the Performance-Related Properties of Asphalt Cements: Physical and Chemical Interactions Revisited. — Dallas N. Little and J. Claine Petersen; 17(2), 207-18 (2005).

Lokuge, Weena P.
Stress–Strain Model for Laterally Confined Concrete. — Weena P. Lokuge, J. G. Sanjayan, and Sujeeva Setunge; 17(6), 607-16 (2005).

López-Moro, F. J.
Monitoring of Origin and Evolution of Building Stones through Their Major Components. — A. C. Iñigo, F. J. López-Moro, S. Vicente-Tavera, and V. Rives; 17(4), 440-6 (2005).

Losañez, Milagros
Ladle Furnace Slag in Construction. — Juan M. Manso, Milagros Losañez, Juan A. Polanco, and Javier J. Gonzalez; 17(5), 513-8 (2005).

Luca, Joseph
New Measurement of Thermal Properties of Superpave Asphalt Concrete. — Joseph Luca and Donath Mrawira; 17(1), 72-9 (2005).

Maalej, Mohamed
Behavior of Hybrid-Fiber Engineered Cementitious Composites Subjected to Dynamic Tensile Loading and Projectile Impact. — Mohamed Maalej, Ser Tong Quek, and Jing Zhang; 17(2), 143-52 (2005).

Mackiewicz, Piotr
Asphalt Mixes Deformation Sensitivity to Change in Rheological Parameters. — Antoni Szydlo and Piotr Mackiewicz; 17(1), 1-9 (2005).

Mang, Herbert
Shotcrete Elasticity Revisited in the Framework of Continuum Micromechanics: From Submicron to Meter Level. — Christian Hellmich and Herbert Mang; 17(3), 246-56 (2005).

Manso, Juan M.
Ladle Furnace Slag in Construction. — Juan M. Manso, Milagros Losañez, Juan A. Polanco, and Javier J. Gonzalez; 17(5), 513-8 (2005).

Mao, Chen-Xi
Strain Self-Sensing Property and Strain Rate Dependent Constitutive Model of Austenitic Shape Memory Alloy: Experiment and Theory. — Hui Li, Chen-Xi Mao, and Jin-Ping Ou; 17(6), 676-85 (2005).

Marti, Peter
Reinforcing Steel Strains Measured by Bragg Grating Sensors. — Albin Kenel, Philipp Nellen, Andreas Frank, and Peter Marti; 17(4), 423-31 (2005).

Martin, Amy Epps
Factors Affecting Binder Properties between Production and Construction. — Edith Arámbula Mercado, Amy Epps Martin, Eun Sug Park, Clifford Spiegelman, and Charles J. Glover; 17(1), 89-98 (2005).

Mason, Thomas O.
Procedure to Interpret Electrical Conductivity Measurements in Cover Concrete during Rewetting. — Farshad Rajabipour, Jason Weiss, John D. Shane, Thomas O. Mason, and Surendra P. Shah; 17(5), 586-94 (2005).

McCuen, Richard
Effect of Radial Inhomogeneity on Shear Properties of Asphalt Mixtures. — Haleh Azari, Richard McCuen, and Kevin Stuart; 17(1), 80-8 (2005).

McCuen, Richard H.
Effect of Alloy Composition on Atmospheric Corrosion of Weathering Steel. — Richard H. McCuen and Pedro Albrecht; 17(2), 117-25 (2005).

Meda, A.
Bending and Uniaxial Tensile Tests on Concrete Reinforced with Hybrid Steel Fibers. — L. G. Sorelli, A. Meda, and G. A. Plizzari; 17(5), 519-27 (2005).

Mercado, Edith Arámbula
Factors Affecting Binder Properties between Production and Construction. — Edith Arámbula Mercado, Amy Epps Martin, Eun Sug Park, Clifford Spiegelman, and Charles J. Glover; 17(1), 89-98 (2005).

Metcalf, John B.
Two-Step Approach to Prediction of Asphalt Concrete Modulus from Two-Phase Micromechanical Models. — Yongqi Li and John B. Metcalf; 17(4), 407-15 (2005).

Misra, Sudhir
Discussion of "Application of Neural Networks for Estimation of Concrete Strength" by Jong-In Kim, Doo Kie Kim, Maria Q. Feng, and Frank Yazdani. — Ashu Jain, Sudhir Misra, and Sanjeev Kumar Jha; 17(6), 736-8 (2005).

Mohammad, Louay
Unified Method to Quantify Aggregate Shape Angularity and Texture Using Fourier Analysis. — Linbing Wang, Xingran Wang, Louay Mohammad, and Chris Abadie; 17(5), 498-504 (2005).

Mohammadi, Yaghoub
Flexural Fatigue-Life Distributions of Plain and Fibrous Concrete at Various Stress Levels. — Yaghoub Mohammadi and S. K. Kaushik; 17(6), 650-8 (2005).

Morrell, Jeffrey J.
Effects of Decay on the Cyclic Properties of Nailed Connections. — Scott M. Kent, Robert J. Leichti, David V. Rosowsky, and Jeffrey J. Morrell; 17(5), 579-85 (2005).

Mrawira, Donath
New Measurement of Thermal Properties of Superpave Asphalt Concrete. — Joseph Luca and Donath Mrawira; 17(1), 72-9 (2005).

Nabors, Daniel T.
Testing and Evaluation of Used Automobile Tires and Recycled Tire-Derived Materials for Low-Cost Crash Cushions. — Mustaque Hossain and Daniel T. Nabors; 17(1), 36-44 (2005).

Naik, Tarun R.
Cast-Concrete Products Made with FBC Ash and Wet-Collected Coal-Ash. — Tarun R. Naik, Rudolph N. Kraus, Yoon-moon Chun, and Francois D. Botha; 17(6), 659-63 (2005).

Najm, Husam
Rapid-Hardening Concrete Mixes. — Husam Najm and Perumalsamy Balaguru; 17(2), 198-206 (2005).

Nakhi, Ammar
Composite Damage Models for Diffusivity of Distressed Materials. — Yunping Xi and Ammar Nakhi; 17(3), 286-95 (2005).

Nellen, Philipp
Reinforcing Steel Strains Measured by Bragg Grating Sensors. — Albin Kenel, Philipp Nellen, Andreas Frank, and Peter Marti; 17(4), 423-31 (2005).

Nguyen, Minh
Capacities of Dowel-Type Fastener Joints in Australian Pine. — Ian Smith, Greg Foliente, Minh Nguyen, and Michael Syme; 17(6), 664-75 (2005).

Obla, Karthik
Influence of Ultrafine Fly Ash on the Early Age Response and the Shrinkage Cracking Potential of Concrete. — Kolluru V. Subramaniam, Roman Gromotka, Surendra P. Shah, Karthik Obla, and Russell Hill; 17(1), 45-53 (2005).

Ossa, E. A.
Phenomenological Model for Monotonic and Cyclic Behavior of Pure Bitumen. — E. A. Ossa, V. S. Deshpande, and D. Cebon; 17(2), 188-97 (2005).

Ou, Jin-Ping
Strain Self-Sensing Property and Strain Rate Dependent Constitutive Model of Austenitic Shape Memory Alloy: Experiment and Theory. — Hui Li, Chen-Xi Mao, and Jin-Ping Ou; 17(6), 676-85 (2005).

Park, Eun Sug
Factors Affecting Binder Properties between Production and Construction. — Edith Arámbula Mercado, Amy Epps Martin, Eun Sug Park, Clifford Spiegelman, and Charles J. Glover; 17(1), 89-98 (2005).

Pekrioglu, Ayse
Material Properties of High Volume Fly Ash Cement Paste Structural Fill. — Ata G. Doven and Ayse Pekrioglu; 17(6), 686-93 (2005).

Petersen, J. Claine
Unique Effects of Hydrated Lime Filler on the Performance-Related Properties of Asphalt Cements: Physical and Chemical Interactions Revisited. — Dallas N. Little and J. Claine Petersen; 17(2), 207-18 (2005).

Phatak, D. R.
Prediction of 28 Days Compressive Strength of 53-Grade Cements Using Dimensional Analysis. — D. R. Phatak and N. P. Deshpande; 17(6), 733-5 (T) (2005).

Pijaudier-Cabot, Gilles
Model-Based Simulation of Durability of Materials and Structures. — Yunping Xi, Zdenek P. Bazant, Gilles Pijaudier-Cabot, and Zdenek Bittnar; 17(3), 239-40 (2005).

Plizzari, G. A.
Bending and Uniaxial Tensile Tests on Concrete Reinforced with Hybrid Steel Fibers. — L. G. Sorelli, A. Meda, and G. A. Plizzari; 17(5), 519-27 (2005).

Polanco, Juan A.
Ladle Furnace Slag in Construction. — Juan M. Manso, Milagros Losañez, Juan A. Polanco, and Javier J. Gonzalez; 17(5), 513-8 (2005).

Puatatsananon, W.
Nonlinear Coupling of Carbonation and Chloride Diffusion in Concrete. — W. Puatatsananon and V. E. Saouma; 17(3), 264-75 (2005).

Qin, Menghao
Development of an Analytical Method for Simultaneous Heat and Moisture Transfer in Building Materials Utilizing Transfer Function Method. — Menghao Qin and Rafik Belarbi; 17(5), 492-7 (2005).

Quek, Ser Tong
Behavior of Hybrid-Fiber Engineered Cementitious Composites Subjected to Dynamic Tensile Loading and Projectile Impact. — Mohamed Maalej, Ser Tong Quek, and Jing Zhang; 17(2), 143-52 (2005).

Rajabipour, Farshad
Procedure to Interpret Electrical Conductivity Measurements in Cover Concrete during Rewetting. — Farshad Rajabipour, Jason Weiss, John D. Shane, Thomas O. Mason, and Surendra P. Shah; 17(5), 586-94 (2005).

Reza, F.
Closure to "Resistance Changes during Compression of Carbon Fiber Cement Composites" by Farhad Reza, Gordon B. Batson, Jerry A. Yamamuro, and Jong S. Lee. — F. Reza; 17(5), 605 (2005).

Rhee, I.
Thermal Degradation of Heterogeneous Concrete Materials. — K. Willam, I. Rhee, and Y. Xi; 17(3), 276-85 (2005).

Riffle, J. S.
Pultruded Carbon Fiber/Vinyl Ester Composites Processed with Different Fiber Sizing Agents. Part I: Processing and Static Mechanical Performance. — N. S. Broyles, K. N. E. Verghese, R. M. Davis, J. J. Lesko, and J. S. Riffle; 17(3), 320-33 (2005).
Pultruded Carbon Fiber/Vinyl Ester Composites Processed with Different Fiber Sizing Agents. Part II: Enviro-Mechanical Durability. — K. N. E. Verghese, N. S. Broyles, J. J. Lesko, R. M. Davis, and J. S. Riffle; 17(3), 334-42 (2005).
Pultruded Carbon Fiber/Vinyl Ester Composites Processed with Different Fiber Sizing Agents. Part III: Theoretical Aspects. — K. N. E. Verghese, N. S. Broyles, S. W. Case, J. J. Lesko, R. M. Davis, and J. S. Riffle; 17(3), 343-52 (2005).

Río, O.
Behavior of Patch-Repaired Concrete Structural Elements under Increasing Static Loads to Flexural Failure. — O. Río, C. Andrade, D. Izquierdo, and C. Alonso; 17(2), 168-77 (2005).

Rives, V.
Monitoring of Origin and Evolution of Building Stones through Their Major Components. — A. C. Iñigo, F. J. López-Moro, S. Vicente-Tavera, and V. Rives; 17(4), 440-6 (2005).

Robertson, Raymond E.
Impact of Lime Modification of Asphalt and Freeze–Thaw Cycling on the Asphalt–Aggregate Interaction and Moisture Resistance to Moisture Damage. — Shin-Che Huang, Raymond E. Robertson, Jan F. Branthaver, and J. Claine Petersen; 17(6), 711-8 (2005).

Rosati, Gianpaolo
Effect of Bar Diameter on the Behavior of Lightly Reinforced Concrete Beams. — Alessandro P. Fantilli, Daniele Ferretti, and Gianpaolo Rosati; 17(1), 10-8 (2005).

Rosowsky, David V.
Effects of Decay on the Cyclic Properties of Nailed Connections. — Scott M. Kent, Robert J. Leichti, David V. Rosowsky, and Jeffrey J. Morrell; 17(5), 579-85 (2005).

Saetta, Anna V.
Deterioration of Reinforced Concrete Structures due to Chemical–Physical Phenomena: Model-Based Simulation. — Anna V. Saetta; 17(3), 313-9 (2005).

Sanjayan, J. G.
Stress–Strain Model for Laterally Confined Concrete. — Weena P. Lokuge, J. G. Sanjayan, and Sujeeva Setunge; 17(6), 607-16 (2005).

Saouma, V. E.
Nonlinear Coupling of Carbonation and Chloride Diffusion in Concrete. — W. Puatatsananon and V. E. Saouma; 17(3), 264-75 (2005).

Sarangapani, G.
Brick-Mortar Bond and Masonry Compressive Strength. — G. Sarangapani, B. V. Venkatarama Reddy, and K. S. Jagadish; 17(2), 229-37 (2005).

Satoh, Kouichi
Central Peeling Failure Behavior of Polymer Cement Mortar Retrofitting of Reinforced Concrete Beams. — Kouichi Satoh and Katsumi Kodama; 17(2), 126-36 (2005).

Schindler, Anton K.
Self-Consolidating Concrete for Use in Drilled Shaft Applications. — Donald Hodgson, III, Anton K. Schindler, Dan A. Brown, and Mary Stroup-Gardiner; 17(3), 363-9 (2005).

Seow, Puay Eng Constance
Failure Surface for Concrete under Multiaxial Load—a Unified Approach. — Puay Eng Constance Seow and Somsak Swaddiwudhipong; 17(2), 219-28 (2005).

Setunge, Sujeeva
Stress–Strain Model for Laterally Confined Concrete. — Weena P. Lokuge, J. G. Sanjayan, and Sujeeva Setunge; 17(6), 607-16 (2005).

Seyhan, Umit
Anisotropic Aggregate Base Inputs for Mechanistic Pavement Analysis Considering Effects of Moving Wheel Loads. — Umit Seyhan, Erol Tutumluer, and Hamza Yesilyurt; 17(5), 505-12 (2005).

Seyman, Ekrem
Laboratory Evaluation of the Geogauge and Light Falling Weight Deflectometer as Construction Control Tools. — Khalid A. Alshibli, Murad Abu-Farsakh, and Ekrem Seyman; 17(5), 560-9 (2005).

Shah, Surendra P.
Influence of Ultrafine Fly Ash on the Early Age Response and the Shrinkage Cracking Potential of Concrete. — Kolluru V. Subramaniam, Roman Gromotka, Surendra P. Shah, Karthik Obla, and Russell Hill; 17(1), 45-53 (2005).
Procedure to Interpret Electrical Conductivity Measurements in Cover Concrete during Rewetting. — Farshad Rajabipour, Jason Weiss, John D. Shane, Thomas O. Mason, and Surendra P. Shah; 17(5), 586-94 (2005).
Microfiber and Macrofiber Hybrid Fiber-Reinforced Concrete. — John S. Lawler, Davide Zampini, and Surendra P. Shah; 17(5), 595-604 (2005).

Shane, John D.
Procedure to Interpret Electrical Conductivity Measurements in Cover Concrete during Rewetting. — Farshad Rajabipour, Jason Weiss, John D. Shane, Thomas O. Mason, and Surendra P. Shah; 17(5), 586-94 (2005).

Shen, Der-Hsien
Application of Gray Relational Analysis to Evaluate HMA with Reclaimed Building Materials. — Der-Hsien Shen and Jia-Chong Du; 17(4), 400-6 (2005).

Sivakumar, K.
Discussion of "Carbonation-Porosity-Strength Model for Fly Ash Concrete" by Cengiz Duran Atiş. — K. Sivakumar; 17(1), 116 (2005).

Smith, Ian
Capacities of Dowel-Type Fastener Joints in Australian Pine. — Ian Smith, Greg Foliente, Minh Nguyen, and Michael Syme; 17(6), 664-75 (2005).

Sorelli, L. G.
Bending and Uniaxial Tensile Tests on Concrete Reinforced with Hybrid Steel Fibers. — L. G. Sorelli, A. Meda, and G. A. Plizzari; 17(5), 519-27 (2005).

Soroushian, Parviz
Quantitative Microstructural Investigation of Deteriorated Reinforced Concrete Bridge Deck. — Mohamed Elzafraney and Parviz Soroushian; 17(2), 159-67 (2005).

Söylev, T. A.
Corrosion of Reinforcement in Relation to Presence of Defects at the Interface between Steel and Concrete. — T. A. Söylev and R. François; 17(4), 447-55 (2005).

Spiegelman, Clifford
Factors Affecting Binder Properties between Production and Construction. — Edith Arámbula Mercado, Amy Epps Martin, Eun Sug Park, Clifford Spiegelman, and Charles J. Glover; 17(1), 89-98 (2005).

Spiegl, Markus
Is Low-Temperature Creep of Asphalt Mastic Independent of Filler Shape and Mineralogy?—Arguments from Multiscale Analysis. — Roman Lackner, Markus Spiegl, Ronald Blab, and Josef Eberhardsteiner; 17(5), 485-91 (2005).

Stroup-Gardiner, Mary
Self-Consolidating Concrete for Use in Drilled Shaft Applications. — Donald Hodgson, III, Anton K. Schindler, Dan A. Brown, and Mary Stroup-Gardiner; 17(3), 363-9 (2005).

Stuart, Kevin
Effect of Radial Inhomogeneity on Shear Properties of Asphalt Mixtures. — Haleh Azari, Richard McCuen, and Kevin Stuart; 17(1), 80-8 (2005).

Subramaniam, Kolluru V.
Influence of Ultrafine Fly Ash on the Early Age Response and the Shrinkage Cracking Potential of Concrete. — Kolluru V. Subramaniam, Roman Gromotka, Surendra P. Shah, Karthik Obla, and Russell Hill; 17(1), 45-53 (2005).

Swaddiwudhipong, Somsak
Failure Surface for Concrete under Multiaxial Load—a Unified Approach. — Puay Eng Constance Seow and Somsak Swaddiwudhipong; 17(2), 219-28 (2005).

Syme, Michael
Capacities of Dowel-Type Fastener Joints in Australian Pine. — Ian Smith, Greg Foliente, Minh Nguyen, and Michael Syme; 17(6), 664-75 (2005).

Szydlo, Antoni
Asphalt Mixes Deformation Sensitivity to Change in Rheological Parameters. — Antoni Szydlo and Piotr Mackiewicz; 17(1), 1-9 (2005).

Taha, Ramzi
Evaluation of Open-Graded Friction Course Mixtures Containing Cellulose Fibers and Styrene Butadiene Rubber Polymer. — Hossam F. Hassan, Salim Al-Oraimi, and Ramzi Taha; 17(4), 416-22 (2005).

Tangtermsirikul, S.
Model for Simulating Carbonation of Fly Ash Concrete. — J. Khunthongkeaw and S. Tangtermsirikul; 17(5), 570-8 (2005).

Tao, Mingjiang
Enhanced Performance of Stabilized By-Product Gypsum. — Mingjiang Tao and Zhongjie Zhang; 17(6), 617-23 (2005).

Tarefder, Rafiqul Alam
Neural Network Model for Asphalt Concrete Permeability. — Rafiqul Alam Tarefder, Luther White, and Musharraf Zaman; 17(1), 19-27 (2005).

Tutumluer, Erol
Anisotropic Aggregate Base Inputs for Mechanistic Pavement Analysis Considering Effects of Moving Wheel Loads. — Umit Seyhan, Erol Tutumluer, and Hamza Yesilyurt; 17(5), 505-12 (2005).

Ulm, F.-J.
Does Calcium Leaching Increase Ductility of Cementitious Materials? Evidence from Direct Tensile Tests. — F. H. Heukamp, F.-J. Ulm, and J. T. Germaine; 17(3), 307-12 (2005).

Uzan, Jacob
Viscoelastic–Viscoplastic Model with Damage for Asphalt Concrete. — Jacob Uzan; 17(5), 528-34 (2005).

Venkatarama Reddy, B. V.
Brick-Mortar Bond and Masonry Compressive Strength. — G. Sarangapani, B. V. Venkatarama Reddy, and K. S. Jagadish; 17(2), 229-37 (2005).

Verghese, K. N. E.
Pultruded Carbon Fiber/Vinyl Ester Composites Processed with Different Fiber Sizing Agents. Part I: Processing and Static Mechanical Performance. — N. S. Broyles, K. N. E. Verghese, R. M. Davis, J. J. Lesko, and J. S. Riffle; 17(3), 320-33 (2005).
Pultruded Carbon Fiber/Vinyl Ester Composites Processed with Different Fiber Sizing Agents. Part II: Enviro-Mechanical Durability. — K. N. E. Verghese, N. S. Broyles, J. J. Lesko, R. M. Davis, and J. S. Riffle; 17(3), 334-42 (2005).
Pultruded Carbon Fiber/Vinyl Ester Composites Processed with Different Fiber Sizing Agents. Part III: Theoretical Aspects. — K. N. E. Verghese, N. S. Broyles, S. W. Case, J. J. Lesko, R. M. Davis, and J. S. Riffle; 17(3), 343-52 (2005).

Vicente-Tavera, S.
Monitoring of Origin and Evolution of Building Stones through Their Major Components. — A. C. Iñigo, F. J. López-Moro, S. Vicente-Tavera, and V. Rives; 17(4), 440-6 (2005).

Voyiadjis, George
Anisotropic Properties of Asphalt Concrete: Characterization and Implications for Pavement Design and Analysis. — Linbing Wang, Laureano R. Hoyos, Jay Wang, George Voyiadjis, and Chris Abadie; 17(5), 535-43 (2005).

Wang, Jay
Anisotropic Properties of Asphalt Concrete: Characterization and Implications for Pavement Design and Analysis. — Linbing Wang, Laureano R. Hoyos, Jay Wang, George Voyiadjis, and Chris Abadie; 17(5), 535-43 (2005).

Wang, Linbing
Unified Method to Quantify Aggregate Shape Angularity and Texture Using Fourier Analysis. — Linbing Wang, Xingran Wang, Louay Mohammad, and Chris Abadie; 17(5), 498-504 (2005).
Anisotropic Properties of Asphalt Concrete: Characterization and Implications for Pavement Design and Analysis. — Linbing Wang, Laureano R. Hoyos, Jay Wang, George Voyiadjis, and Chris Abadie; 17(5), 535-43 (2005).

Wang, Xingran
Unified Method to Quantify Aggregate Shape Angularity and Texture Using Fourier Analysis. — Linbing Wang, Xingran Wang, Louay Mohammad, and Chris Abadie; 17(5), 498-504 (2005).

Weiss, Jason
Procedure to Interpret Electrical Conductivity Measurements in Cover Concrete during Rewetting. — Farshad Rajabipour, Jason Weiss, John D. Shane, Thomas O. Mason, and Surendra P. Shah; 17(5), 586-94 (2005).

White, Luther
Neural Network Model for Asphalt Concrete Permeability. — Rafiqul Alam Tarefder, Luther White, and Musharraf Zaman; 17(1), 19-27 (2005).

White, Thomas D.
Hot Mix Asphalt Mix Design Evaluation Using the Corelok Vacuum-Sealing Device. — M. Shane Buchanan and Thomas D. White; 17(2), 137-42 (2005).

Willam, K.
Thermal Degradation of Heterogeneous Concrete Materials. — K. Willam, I. Rhee, and Y. Xi; 17(3), 276-85 (2005).

Xi, Y.
Thermal Degradation of Heterogeneous Concrete Materials. — K. Willam, I. Rhee, and Y. Xi; 17(3), 276-85 (2005).

Xi, Yunping
Model-Based Simulation of Durability of Materials and Structures. — Yunping Xi, Zdenek P. Bazant, Gilles Pijaudier-Cabot, and Zdenek Bittnar; 17(3), 239-40 (2005).
Composite Damage Models for Diffusivity of Distressed Materials. — Yunping Xi and Ammar Nakhi; 17(3), 286-95 (2005).

Yavuzturk, C.
Assessment of Temperature Fluctuations in Asphalt Pavements Due to Thermal Environmental Conditions Using a Two-Dimensional, Transient Finite-Difference Approach. — C. Yavuzturk, K. Ksaibati, and A. D. Chiasson; 17(4), 465-75 (2005).

Yazdani, Frank
Closure to "Application of Neural Networks for Estimation of Concrete Strength" by Jong-In Kim, Doo Kie Kim, Maria Q. Feng, and Frank Yazdani. — Jong-In Kim, Doo Kie Kim, Maria Q. Feng, and Frank Yazdani; 17(6), 738-9 (2005).

Yesilyurt, Hamza
Anisotropic Aggregate Base Inputs for Mechanistic Pavement Analysis Considering Effects of Moving Wheel Loads. — Umit Seyhan, Erol Tutumluer, and Hamza Yesilyurt; 17(5), 505-12 (2005).

Yildirim, Hakki
Compression Behavior and Failure Mechanisms of Concrete Masonry Prisms. — Hasan Orhun Köksal, Cengiz Karakoç, and Hakki Yildirim; 17(1), 107-15 (2005).

Yudhbir
Geotechnical Characterization of Some Indian Fly Ashes. — Sarat Kumar Das and Yudhbir ; 17(5), 544-52 (2005).

Zaman, Musharraf
Neural Network Model for Asphalt Concrete Permeability. — Rafiqul Alam Tarefder, Luther White, and Musharraf Zaman; 17(1), 19-27 (2005).

Zampini, Davide
Microfiber and Macrofiber Hybrid Fiber-Reinforced Concrete. — John S. Lawler, Davide Zampini, and Surendra P. Shah; 17(5), 595-604 (2005).

Zhang, Jing
Behavior of Hybrid-Fiber Engineered Cementitious Composites Subjected to Dynamic Tensile Loading and Projectile Impact. — Mohamed Maalej, Ser Tong Quek, and Jing Zhang; 17(2), 143-52 (2005).

Zhang, Yunsheng
Short Fiber Reinforced Geopolymer Composites Manufactured by Extrusion. — Zongjin Li, Yunsheng Zhang, and Xiangming Zhou; 17(6), 624-31 (2005).

Zhang, Zhongjie
Enhanced Performance of Stabilized By-Product Gypsum. — Mingjiang Tao and Zhongjie Zhang; 17(6), 617-23 (2005).

Zhou, Xiangming
Characterizing Rheology of Fresh Short Fiber Reinforced Cementitious Composite through Capillary Extrusion. — Xiangming Zhou and Zongjin Li; 17(1), 28-35 (2005).

Accelerated Assessment and Fuzzy Evaluation of Concrete Durability. — Zongjin Li, C. K. Chau, and Xiangming Zhou; 17(3), 257-63 (2005).

Short Fiber Reinforced Geopolymer Composites Manufactured by Extrusion. — Zongjin Li, Yunsheng Zhang, and Xiangming Zhou; 17(6), 624-31 (2005).